

10,570 Dead 405,259 Injuries: European Database of Adverse Drug Reactions for COVID-19 “Vaccines”

By [Brian Shilhavy](#)

Global Research, May 17, 2021

[Health Impact News](#) 14 May 2021

Region: [Europe](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

Visit and follow us on Instagram at [@crg_globalresearch](#).

The European database of suspected drug reaction reports is [EudraVigilance](#), which also tracks reports of injuries and deaths following the experimental COVID-19 “vaccines.”

Here is what [EudraVigilance](#) states about their database:

This website was launched by the [European Medicines Agency](#) in 2012 to provide public access to reports of suspected side effects (also known as suspected adverse drug reactions). These reports are submitted electronically to [EudraVigilance](#) by national medicines regulatory authorities and by pharmaceutical companies that hold marketing authorisations (licences) for the medicines.

EudraVigilance is a system designed for collecting reports of suspected side effects. These reports are used for evaluating the benefits and risks of medicines during their development and monitoring their safety following their authorisation in the European Economic Area (EEA). EudraVigilance has been in use since December 2001.

This website was launched to comply with the [EudraVigilance Access Policy](#), which was developed to improve public health by supporting the monitoring of the safety of medicines and to increase transparency for stakeholders, including the general public.

The [Management Board of the European Medicines Agency](#) first approved the EudraVigilance Access Policy in December 2010. A revision was adopted by the Board in December 2015 based on the 2010 pharmacovigilance legislation. The policy aims to provide stakeholders such as national medicines regulatory authorities in the EEA, the European Commission, healthcare professionals, patients and consumers, as well as the pharmaceutical industry and research organisations, with access to reports on suspected side effects.

Transparency is a key guiding principle of the Agency, and is pivotal to building trust and confidence in the regulatory process. By increasing transparency, the Agency is better able to address the growing need among stakeholders, including the general public, for access to information. ([Source](#).)

Their report through May 8, 2021 lists 10,570 deaths and 405,259 injuries following injections of four experimental COVID-19 shots:

- [COVID-19 MRNA VACCINE MODERNA \(CX-024414\)](#)
- [COVID-19 MRNA VACCINE PFIZER-BIONTECH](#)
- [COVID-19 VACCINE ASTRAZENECA \(CHADOX1 NCOV-19\)](#)
- [COVID-19 VACCINE JANSSEN \(AD26.COV2.S\)](#)

A *Health Impact News* subscriber in Europe ran the reports for each of the four COVID-19 shots we are including here. This subscriber has volunteered to do this, and it is a lot of work to tabulate each reaction with injuries and fatalities, since there is no place on the [EudraVigilance](#) system we have found that tabulates all the results.

Since we have started publishing this, others from Europe have also calculated the numbers and confirmed the totals.[1]

Here is the summary data through May 8, 2021.

Total reactions for the experimental mRNA vaccine Tozinameran (code BNT162b2, Comirnaty) from [BioNTech/ Pfizer](#): 5,368 deaths and 170,528 injuries to 08/05/2021

- 12,435 Blood and lymphatic system disorders incl. 54 deaths
- 8,551 Cardiac disorders incl. 636 deaths
- 62 Congenital, familial and genetic disorders incl. 4 deaths
- 4,828 Ear and labyrinth disorders incl. 3 deaths
- 153 Endocrine disorders
- 5,413 Eye disorders incl. 9 deaths
- 37,167 Gastrointestinal disorders incl. 270 deaths
- 115,627 General disorders and administration site conditions incl. 1719 deaths
- 279 Hepatobiliary disorders incl. 24 deaths
- 4,047 Immune system disorders incl. 25 deaths
- 12,099 Infections and infestations incl. 589 deaths
- 4,142 Injury, poisoning and procedural complications incl. 72 deaths
- 8,904 Investigations incl. 196 deaths
- 2,961 Metabolism and nutrition disorders incl. 109 deaths
- 59,217 Musculoskeletal and connective tissue disorders incl. 58 deaths
- 194 Neoplasms benign, malignant and unspecified (incl cysts and polyps) incl. 11 deaths
- 73,4 Nervous system disorders incl. 535 deaths
- 231 Pregnancy, puerperium and perinatal conditions incl. 9 deaths
- 83 Product issues
- 7,002 Psychiatric disorders incl. 81 deaths
- 1,143 Renal and urinary disorders incl. 82 deaths
- 1,241 Reproductive system and breast disorders incl. 2 deaths
- 16,257 Respiratory, thoracic and mediastinal disorders incl. 619 deaths
- 18,516 Skin and subcutaneous tissue disorders incl. 46 deaths
- 564 Social circumstances incl. 9 deaths
- 142 Surgical and medical procedures incl. 9 deaths
- 9,851 Vascular disorders incl. 197 deaths

Total reactions for the experimental mRNA vaccine mRNA-1273(CX-024414) from Moderna: 2,865 deaths and 22,985 injuries to 08/05/2021

- 1,047 Blood and lymphatic system disorders incl. 19 deaths
- 1,674 Cardiac disorders incl. 301 deaths
- 8 Congenital, familial and genetic disorders incl. 2 deaths
- 535 Ear and labyrinth disorders
- 29 Endocrine disorders incl. 1 death
- 793 Eye disorders incl. 4 deaths
- 4,952 Gastrointestinal disorders incl. 100 deaths
- 16,192 General disorders and administration site conditions incl. 1255 deaths
- 98 Hepatobiliary disorders incl. 6 deaths
- 587 Immune system disorders incl. 4 deaths
- 1,906 Infections and infestations incl. 151 deaths
- 1,042 Injury, poisoning and procedural complications incl. 53 deaths
- 1,395 Investigations incl. 68 deaths
- 670 Metabolism and nutrition disorders incl. 58 deaths
- 7,143 Musculoskeletal and connective tissue disorders incl. 58 deaths
- 60 Neoplasms benign, malignant and unspecified (incl cysts and polyps) incl. 11 deaths
- 9,617 Nervous system disorders incl. 294 deaths
- 62 Pregnancy, puerperium and perinatal conditions
- 11 Product issues
- 1,118 Psychiatric disorders incl. 45 deaths
- 383 Renal and urinary disorders incl. 32 deaths
- 135 Reproductive system and breast disorders incl. 1 death
- 2,822 Respiratory, thoracic and mediastinal disorders incl. 255 deaths
- 2,901 Skin and subcutaneous tissue disorders incl. 22 deaths
- 214 Social circumstances incl. 9 deaths
- 131 Surgical and medical procedures incl. 16 deaths
- 1,526 Vascular disorders incl. 100 deaths

Total reactions for the experimental vaccine AZD1222/VAXZEVRIA (CHADOX1 NCOV-19) from Oxford/ AstraZeneca: 2,102 deaths and 208,873 injuries to 08/05/2021

- 6,221 Blood and lymphatic system disorders incl. 86 deaths
- 8,504 Cardiac disorders incl. 261 deaths
- 83 Congenital, familial and genetic disorders incl. 2 deaths
- 5,774 Ear and labyrinth disorders
- 174 Endocrine disorders incl. 2 deaths
- 9,158 Eye disorders incl. 7 deaths
- 62,739 Gastrointestinal disorders incl. 99 deaths
- 158,518 General disorders and administration site conditions incl. 604 deaths
- 319 Hepatobiliary disorders incl. 18 deaths
- 2,135 Immune system disorders incl. 8 deaths
- 12,002 Infections and infestations incl. 138 deaths
- 4,991 Injury, poisoning and procedural complications incl. 33 deaths
- 11,441 Investigations incl. 38 deaths
- 7,621 Metabolism and nutrition disorders incl. 31 deaths
- 93,094 Musculoskeletal and connective tissue disorders incl. 24 deaths

- 178 Neoplasms benign, malignant and unspecified (incl cysts and polyps) incl. 5 deaths
- 125,892 Nervous system disorders incl. 318 deaths
- 128 Pregnancy, puerperium and perinatal conditions incl. 1 death
- 64 Product issues
- 10,895 Psychiatric disorders incl. 17 deaths
- 1,976 Renal and urinary disorders incl. 20 deaths
- 2,519 Reproductive system and breast disorders
- 18,411 Respiratory, thoracic and mediastinal disorders incl. 228 deaths
- 26,202 Skin and subcutaneous tissue disorders incl. 13 deaths
- 475 Social circumstances incl. 4 deaths
- 431 Surgical and medical procedures incl. 14 deaths
- 10,653 Vascular disorders incl. 131 deaths

Total reactions for the experimental COVID-19 vaccine JANSSEN (AD26.COV2.S) from [Johnson & Johnson](#): 235 deaths and 2,873 injuries to 08/05/2021

- 79 Blood and lymphatic system disorders incl. 7 deaths
- 169 Cardiac disorders incl. 22 deaths
- 3 Congenital, familial and genetic disorders
- 45 Ear and labyrinth disorders
- 3 Endocrine disorders incl. 1 death
- 110 Eye disorders incl. 1 death
- 783 Gastrointestinal disorders incl. 6 deaths
- 2,071 General disorders and administration site conditions incl. 67 deaths
- 20 Hepatobiliary disorders incl. 1 death
- 35 Immune system disorders
- 140 Infections and infestations incl. 6 deaths
- 117 Injury, poisoning and procedural complications incl. 2 deaths
- 507 Investigations incl. 11 deaths
- 56 Metabolism and nutrition disorders incl. 6 deaths
- 1,348 Musculoskeletal and connective tissue disorders incl. 9 deaths
- 4 Neoplasms benign, malignant and unspecified (incl cysts and polyps)
- 1,852 Nervous system disorders incl. 32 deaths
- 5 Pregnancy, puerperium and perinatal conditions
- 4 Product issues
- 116 Psychiatric disorders incl. 2 deaths
- 35 Renal and urinary disorders incl. 3 deaths
- 29 Reproductive system and breast disorders
- 366 Respiratory, thoracic and mediastinal disorders incl. 18 deaths
- 172 Skin and subcutaneous tissue disorders incl. 1 death
- 20 Social circumstances incl. 1 death
- 80 Surgical and medical procedures incl. 10 deaths
- 502 Vascular disorders incl. 29 deaths

What is the Worldwide Effect of COVID-19 Shots on Mortality?

Mordechai Sones of [America's Frontline Doctors](#) published a video yesterday illustrating the effects of the COVID-19 shots in various countries with mortality rates.

The video is [posted on YouTube](#) (let us know if it disappears) with credit given to @britishbennyboy on Twitter for creating the animation.

The data was compiled from healthdata.org, and The Institute for Health Metrics and Evaluation (IHME), an independent population health research center at UW Medicine, part of the University of Washington.

In almost every country, death rates INCREASED just after the COVID-19 “vaccine” roll outs.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, @crg_globalresearch. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

Notes

[1] These totals are estimates based on reports submitted to [EudraVigilance](#). Totals may be much higher based on percentage of adverse reactions that are reported. Some of these reports may also be reported to the individual country’s adverse reaction databases, such as the U.S. VAERS database, and the UK Yellow Card system. The fatalities are grouped by symptoms, and some fatalities may have resulted from multiple symptoms.

Featured image is from Health Impact News

The original source of this article is [Health Impact News](#)
Copyright © [Brian Shilhavy](#), [Health Impact News](#), 2021

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Brian Shilhavy](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca