

5-Year-Old Died 4 Days after Pfizer Shot, CDC VAERS Data Show

By Megan Redshaw

Global Research, December 06, 2021

Children's Health Defense 3 December 2021

Region: <u>USA</u>

Theme: Science and Medicine

All Global Research articles can be read in 51 languages by activating the "Translate Website" drop down menu on the top banner of our home page (Desktop version).

To receive Global Research's Daily Newsletter (selected articles), click here.

Visit and follow us on Instagram at @crg_globalresearch.

VAERS data released today by the Centers for Disease Control and Prevention included a total of 927,740 reports of adverse events from all age groups following COVID vaccines, including 19,532 deaths and 146,720 serious injuries between Dec. 14, 2020, and Nov. 26, 2021.

The Centers for Disease Control and Prevention today released new data showing a total of 927,740 reports of adverse events following COVID vaccines were submitted between Dec. 14, 2020, and Nov. 26, 2021, to the Vaccine Adverse Event Reporting System (VAERS). VAERS is the primary government-funded system for reporting adverse vaccine reactions in the U.S.

The data included a total of 19,532 reports of deaths — an increase of 283 over the previous week — and 146,720 reports of serious injuries, including deaths, during the same time period — up 3,325 compared with the previous week.

Excluding "<u>foreign reports</u>" to VAERS, <u>672,373 adverse events</u>, including <u>8,986 deaths</u> and <u>57,143 serious injuries</u>, were reported in the U.S. between Dec. 14, 2020, and Nov. 26, 2021.

<u>Foreign reports</u> are reports received by U.S. manufacturers from their foreign subsidiaries. Under U.S. Food and Drug Administration (FDA) regulations, if a manufacturer is notified of a foreign case report that describes an event that is both serious and does not appear on the product's labeling, the manufacturer is required to submit the report to VAERS.

Of the 8,986 U.S. <u>deaths reported</u> as of Nov. 26, 20% occurred within 24 hours of vaccination, 26% occurred within 48 hours of vaccination and 61% occurred in people who experienced an <u>onset of symptoms</u> within 48 hours of being vaccinated.

In the U.S., 454 million COVID vaccine doses had been administered as of Nov. 24. This <u>includes</u> 264 million doses of Pfizer, 173 million doses of Moderna and 16 million doses of

Johnson & Johnson (J&J).



From the 11/26/2021 release of VAERS data:

Found 927,740 cases where Vaccine is COVID19

Government Disclaimer on use of this data

•	William With the same of the s	
Svent Outcome	Count	Percent
Death	19,530	2.10
Permanent Disability	31,682	3.441
Office Visit	145,285	
Emergency Room	50	15.681 0.017
Emergency Doeles/Room	182,544	11,091
Hospitalized	99,671	10.70
Hospitalized, Prolonged	278	0.001
Placement	277,680	29.801
Einth Delegt	GR1	0.071
Life Threatening	148,15	26.60° 0.0° 2.56°
Mot Barlous	482.221	43.381
TOTAL	\$1,101,608	1100.721

Every Friday, <u>VAERS</u> publishes vaccine injury reports received as of a specified date. Reports submitted to VAERS require further investigation before a causal relationship can be confirmed. Historically, VAERS has been shown to report only <u>1% of actual vaccine adverse events</u>.

U.S. VAERS data from Dec. 14, 2020, to Nov. 26, 2021 for 5- to 11-year-olds show:

■ 2,586 <u>adverse events</u>, including <u>34 rated as serious</u> and 2 <u>reported deaths</u>. One death occurred in an 11-year-old girl from Georgia vaccinated Sept. 14, prior to the authorization of Pfizer's COVID vaccine in the 5 to 11 age group.

The second death (VAERS I.D. <u>1890705</u>) occurred in a 5-year-old girl who died four days after receiving her first dose of Pfizer.

■ 1,581 <u>adverse events</u> have been reported in the 5 to 11 age group since Nov. 1.

U.S. VAERS data from Dec. 14, 2020, to Nov. 26, 2021 for 12- to 17-year-olds show:

■ 23,871 <u>adverse events</u>, including <u>1,453 rated as serious</u> and <u>31 reported deaths</u>.

The most recent death involves a 16-year-old girl from Georgia (VAERS I.D. <u>1865389</u>) who died reportedly from a heart condition and multi-organ failure two days after receiving Pfizer's COVID vaccine.

- <u>60 reports</u> of anaphylaxis among 12- to 17-year-olds where the reaction was lifethreatening, required treatment or resulted in death — with 96% of cases attributed to Pfizer's vaccine.
- <u>563 reports</u> of myocarditis and pericarditis (heart inflammation) with <u>553 cases</u> attributed to Pfizer's vaccine.
- <u>139 reports</u> of blood clotting disorders, with all cases attributed to Pfizer.

U.S. VAERS data from Dec. 14, 2020, to Nov. 26, 2021, for all age groups combined, show:

- 19% of deaths were related to cardiac disorders.
- 54% of those who died were male, 42% were female and the remaining death reports did not include gender of the deceased.
- The <u>average age</u> of death was 72.7.
- As of Nov. 26, <u>4,480 pregnant women</u> reported adverse events related to COVID vaccines, including 1,411 reports of <u>miscarriage or premature birth</u>.
- Of the <u>3,219 cases of Bell's Palsy</u> reported, 51% were attributed to <u>Pfizer</u> vaccinations, 41% to <u>Moderna</u> and 8% to <u>|&|</u>.
- 764 reports of <u>Guillain-Barré syndrome</u> (GBS), with 42% of cases <u>attributed to</u> <u>Pfizer</u>, 29% to <u>Moderna</u> and 27% to <u>I&I</u>.
- <u>2,163 reports</u> of anaphylaxis where the reaction was life-threatening, required treatment or resulted in death.
- <u>11,334 reports</u> of blood clotting disorders. Of those, <u>5,024 reports</u> were attributed to Pfizer, <u>4,037 reports</u> to Moderna and <u>2,222 reports</u> to J&J.
- 3,257 cases of myocarditis and pericarditis with 2,025 cases attributed to Pfizer,
 1,085 cases to Moderna and 137 cases to J&J's COVID vaccine.

Athletes experience devastating injuries following COVID vaccines

As <u>The Defender reported</u> Dec. 2, several high-performing professional athletes are facing the end of their careers after COVID vaccines destroyed their health.

World record-holder in static breath-hold freediving, veteran triathlete, professional tennis player, professional mountain biker—all high-performing athletes until COVID vaccines ruined their health + their careers.#TheDefender: https://t.co/zL66Edfiw5https://t.co/L76vBedOOW

Robert F. Kennedy Jr (@RobertKennedyJr) <u>December 2, 2021</u>

Florian Dagoury, a world record-holder in static breath-hold freediving, who once held his breath for a shocking 10 minutes and 30 seconds, was diagnosed with <u>myocarditis</u>, pericarditis and trivial mitral regurgitation after receiving <u>Pfizer's COVID vaccine</u>.

Dagoury said he now struggles to reach an 8-minute breath-hold, feels an urge to breathe doing 40-minute dives, can't keep his heart rate low and experienced a 30% decrease in his diving performance.

Veteran triathlete Antoine Méchin, 32, is also facing the potential end to his career after experiencing a pulmonary embolism after receiving <u>Moderna's COVID vaccine</u>.

The symptoms, which included breathing problems and arm pain, started after the first

dose, but doctors brushed off his shortness of breath as related to stress and fatigue.

<u>Jeremy Chardy</u>, a 34-year old professional tennis player ranked 73rd in the world, suspended his season due to a severe adverse reaction to a COVID vaccine, which left him unable to engage in intense activity.

<u>Kyle Warner</u>, a 29-year-old professional mountain bike racer, developed pericarditis, postural orthostatic tachycardia syndrome (POTS) and reactive arthritis following his second dose of Pfizer's COVID vaccine.

Warner's <u>reaction</u> was so severe that, as of October, he was still spending days in bed, overwhelmed by too much mental or physical exertion.

Two professional soccer players collapse during games

A professional soccer player collapsed suddenly on Nov. 25, during a Real Madrid's Champions League game with Sheriff Tiraspol, a Moldovan soccer club, <u>ZeroHedge reported</u>.

Adama Traore, 26, a winger for Sherriff Tiraspol, was seen clutching his chest as he slumped to the ground in the middle of the game as medics rushed to revive him. The reasons behind Traore's collapse and why he was suffering from chest pains have not been confirmed.

Traore's collapse occurred the night after another player, Sheffield United's John Fleck, went down during a match against Reading. Fleck was taken off on a stretcher after receiving lengthy treatment.

When a radio pundit questioned whether Fleck had <u>received the COVID vaccine</u>, his live feed to the show was cut.

A major German newspaper, <u>Berliner Zeitung</u>, recently published a report attempting to answer why an "unusually large number of professional and amateur soccer players have collapsed recently."

The article listed many recent cases of players who experienced heart problems or collapsed on the field — in some cases resulting in death.

Pfizer seeks authorization for boosters shots for 16- and 17-year-olds

Pfizer CEO Albert Bourla <u>said in a tweet</u> on Tuesday the pharma giant, along with BioNTech, formally asked the FDA to authorize COVID booster doses for 16- and 17-year olds.

If approved, the shot would be the first booster available to people under 18.

The FDA could approve <u>Pfizer's booster doses</u> for 16- and 17-year olds as soon as next week, according to people familiar with the matter.

COVID vaccines may be associated with heightened risk of myopericarditis among men

To help determine whether a <u>correlation exists</u> between COVID vaccines and myopericarditis, researchers tracked data from more than 268,000 adults in Massachusetts who received at least one dose of a COVID vaccine between August 2020 and May 2021.

The researchers compared the data to a control group made up of 235,000 of the same

patients — from 2018 and 2019, well before they had received any doses of a COVID vaccine.

In a study <u>published</u> in the American Journal of Cardiology, the researchers found the ageadjusted incidence rate of myopericarditis in men was higher in the vaccinated than the control population, while the incidence rate of myopericarditis in women was the same between the vaccinated and control populations.

They also found an increased incidence of myocardial injury in both men and women in 2021 compared to 2019, although they suggested some of the apparent increase in the diagnosis of myopericarditis after vaccination may be attributable to factors unrelated to the COVID vaccines.

Moderna CEO says Omicron COVID booster could be ready by March

Moderna President Stephen Hoge said Wednesday boosters of its COVID vaccine targeting the <u>Omicron variant</u> could be ready for U.S. authorization as early as March.

Moderna is also developing a multivalent vaccine targeting Omicron and three other COVID variants, although the shot will not be available for several more months, <u>Forbes reported</u>.

March is the earliest date an Omicron booster could be approved under current FDA guidelines, though the company can start manufacturing the vaccine during testing.

Hoge said he thinks existing vaccines "will be able to slow down, if not completely stop, the Omicron variant."

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, @crg_globalresearch. Forward this article to your email lists. Crosspost on your blog site, internet forums, etc.

Featured image is from CHD

The original source of this article is <u>Children's Health Defense</u> Copyright © <u>Megan Redshaw</u>, <u>Children's Health Defense</u>, 2021

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Megan Redshaw

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in

print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca