

Appendicitis After Pfizer COVID-19 mRNA Vaccine. Most Common Serious Adverse Event and It's Harming Kids. What About Turbo Cancers of the Appendix?

Thousands of Appendicitis cases have been reported after COVID-19 mRNA Vaccines

By [Dr. William Makis](#)

Theme: [Science and Medicine](#)

Global Research, December 03, 2023


[COVID Intel](#)

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name.

To receive Global Research's Daily Newsletter (selected articles), [click here](#).

Click the share button above to email/forward this article to your friends and colleagues. Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

First published on November 16, 2023



Reactions and Adverse Events of the Pfizer-BioNTech COVID-19 Vaccine | CDC

The most common serious adverse events in the vaccine group which were numerically higher than in the placebo group were appendicitis (7 in vaccine vs 2 in ...

Papers reviewed


- [2023 Jan \(Jambon-Barbara et al\)](#) - Understanding the variability of pharmaco-epidemiological studies assessing the risk of appendicitis with mRNA COVID-19 vaccines
- [2022 June \(Oganesyan et al\)](#) - Acute appendicitis following the COVID-19 vaccine
- [2022 May \(Marconi et al\)](#) - Acute appendicitis in a patient immunised with COVID-19 vaccine: A case report with morphological analysis
- [2021 Dec \(Mitchell et al\)](#) - Appendicitis as a possible safety signal for the COVID-19 vaccines

*

[2021 Dec \(Mitchell et al\)](#) - Appendicitis as a possible safety signal for the COVID-19 vaccines

- 334 cases of post COVID-19 Vaccine appendicitis identified in the WHO VigiAccess database
- 69% needed surgical intervention
- 301 (90%) were marked as serious
- 283 (85%) caused or prolonged hospitalization
- 87 (26%) were life threatening
- 6 (2%) persistent or significant disability
- 1 (0.3%) fatal
- median time was 4 days after COVID-19 Vaccination, range 0 to 71 days

Time to onset of appendicitis following COVID-19 vaccination, by vaccine manufacturer



- Appendicitis occurs commonly due to obstruction of appendiceal lumen, can be due to a fecalith or lymphoid hyperplasia.
- 161 (48%) had imaging to support the diagnosis
- Theory: COVID-19 vaccines produce robust Th1 immune responses and there is a

hypothesised link between an increased Th1 immune response and a sub-type of appendicitis that is likely to require surgery

- 49% were in age group 18-44, 31% were in 45-64, median age 42 years old.

[2022 May \(Marconi et al\)](#) – Acute appendicitis in a patient immunised with COVID-19 vaccine: A case report with morphological analysis

- 58F healthcare professional had 1st Pfizer mRNA two days prior to onset
- presented in ER with pain, fever, nausea and vomiting
- CT scan with contrast disclosed a distended appendix (maximum thickness 12 mm) with thickened walls, typical of acute appendicitis.
- patient had a video-laparoscopic appendectomy

[2022 June \(Oganesyan et al\)](#) – Acute appendicitis following the COVID-19 vaccine

- 69F developed appendicitis 3 days after 3rd Pfizer mRNA dose
- Had fever 12hr after Pfizer, abdominal pain 24hr after Pfizer
- CT showed perforated acute appendicitis with appendicolith visualized at base of appendix with associated mesenteric fat stranding, multi-loculated free fluid and trace free air.
- Diagnosis: perforated appendicitis, had surgery.

[2023 Jan \(Jambon-Barbara et al\)](#) – Understanding the variability of pharmaco-epidemiological studies assessing the risk of appendicitis with mRNA COVID-19 vaccines

- Whether mRNA COVID vaccines could increase the risk of appendicitis has been raised from the Phase 3 clinical trial of BNT162b2 in which the rate of appendicitis disproportionately affected vaccinated volunteers
- FDA suggested further signal detection studies
- 3 studies were subsequently done:
- [Barda et al](#) – no link to COVID Vaccines ([Sponsored by Pfizer](#))
- [Klein et al](#) – no link to COVID Vaccines ([Sponsored by CDC & Pfizer](#))
- [Kildegaard et al](#) – no link to COVID Vaccines ([Sponsored by AstraZeneca, etc](#))

More Data



Appendicitis (2 555)

Appendicectomy (700)

As of Nov. 16, 2023, WHO VigiAccess Database reports:

- 2555 cases of Appendicitis


- 700 Appendicectomy

Kids affected (32 results in VAERS on “appendicitis” under age 12, 31/32 are Pfizer, few examples include):

- [VAERS 1906934](#) – 10 year old boy from Connecticut had 1st Pfizer mRNA on Nov. 22, 2021. Four days later he developed appendicitis requiring surgery.
- [VAERS 1909640](#) – 5 year old girl from Illinois, had 1st Pfizer mRNA on Nov. 16, 2021, developed fever, very lethargic and right quadrant pain 8 days later with MRI showing fluid around her appendix.
- [VAERS 1931574](#) – 7 year old boy from California, had 2nd Pfizer mRNA on Dec. 3, 2021. Four days later developed appendicitis requiring surgery.
- [VAERS 1932534](#) – 6 year old girl from Kansas, had 1st Pfizer mRNA on Nov. 27, 2021. Next day developed vomiting, pain, diagnosed with appendicitis, surgery on Dec.3, 2021 revealed perforated appendix.
- [VAERS 1951315](#) – 11 year old boy from Georgia had 1st Pfizer mRNA on Nov. 19, 2021, developed appendicitis 11 days later requiring surgery.
- [VAERS 2651258](#) – 1.67 year old (20 month old) girl from New York had 1st Moderna mRNA on June 29, 2022. She had appendicitis where her appendix ruptured, requiring surgery on March 23, 2023.

CDC Communications:

- [Most common Serious Adverse Event](#) in Pfizer COVID-19 mRNA Vaccine Trial was appendicitis



Serious Adverse Events

Serious adverse events were defined as any untoward medical occurrence that resulted in death, was life-threatening, required inpatient hospitalization or prolongation of existing hospitalization, or resulted in persistent disability/incapacity. The proportions of participants who reported at least 1 serious adverse event were 0.6% in the vaccine group and 0.5% in the placebo group. **The most common serious adverse events in the vaccine group which were numerically higher than in the placebo group were appendicitis (7 in vaccine vs 2 in placebo), acute myocardial infarction (3 vs 0), and cerebrovascular accident (3 vs 1).**

Cardiovascular serious adverse events were balanced between vaccine and placebo groups. Two serious adverse events were considered by U.S. Food and Drug Administration (FDA) as possibly related to vaccine: shoulder injury possibly related to vaccine administration or to the vaccine itself, and lymphadenopathy involving the axilla contralateral to the vaccine injection site. Otherwise, occurrence of severe adverse events involving system organ classes and specific preferred terms were balanced between vaccine and placebo groups.

Data source: [FDA briefing document](#)

From: Wharton, Melinda (CDC/DDID/NCIRD/ISD)
Sent: Friday, December 11, 2020 8:30 AM
To: Gruber, Marion (FDA/CBER) <Marion.Gruber@fda.hhs.gov>
Subject: follow up from yesterday

Congratulations on getting it done yesterday. Amanda and I both thought calling the question for a vote was a brilliant move.

Of the 10 questions I had on my list yesterday, the one I most wanted to ask was about timing of the appendicitis cases (and maybe also the small bowel obstruction cases) related to vaccination. The vaccine clearly causes hyperplasia of lymphoid tissue (not a pathologist, perhaps that's the wrong word, but you probably know what I mean) and that could cause appendicitis (and small bowel obstruction). Of course the number of events was within what is expected for a study of this size at least for appendicitis (I calculated it too, as best I could, without really knowing how much person time under observation there was) but I still would really like to know the distribution of those events temporally post vaccination.

Great job by the whole FDA team. Hopefully someday we can all take a day off.

Melinda
Melinda Wharton, MD, MPH
Director, Immunization Services Division
National Center for Immunization and Respiratory Diseases
Centers for Disease Control and Prevention

Appendix Cancer (Turbo Cancer)

[Nov. 7, 2023](#) – Thunder Bay, ON – 20s year old Hannah Deley had months of severe abdominal pain, and after appendix surgery was found to have Stage 4 Appendix Cancer with small lesions throughout her lungs.

Hannah Deley Cancer Fundraiser



Crystal Sigurdson is organizing this fundraiser on behalf of Hannah Deley.

Created November 7th, 2023 •  Medical

After many long months of having severe abdominal pain, doctors in emerge discovered that I had a lesion in my abdomen through an ultrasound, leading them to think there was a fibroid on my fallopian tube, which was causing this pain. Initially, I thought it was just a really bad appendicitis attack.

On October 28th, 2023, I was diagnosed with appendiceal cancer. The CT scan also showed about a dozen small lesions throughout my lungs, meaning that the cancer has already started to metastasize since my pain started back in March.



Crystal Sigurdson →

Organizer

Thunder Bay, ON



Hannah Deley

Beneficiary

[Oct. 29, 2023](#) - Utica, MI - Timothy Sexton had beaten Stage 4 Colorectal cancer and was in remission for 3 years since June 2020. However, in 2023, his cancer returned, much more rare and aggressive - it returned in his Appendix. Despite surgeries & treatment, it's spreading.

Stage IV Cancer For The 4th Time



Hello, my name is Timothy Sexton and I was first diagnosed with Stage IV Colorectal cancer back in 2019. I underwent surgery to remove a portion of my colon and tumor on September 20th 2019. I underwent 6 months of aggressive chemotherapy, followed up by pelvic radiation and chemo pills.

I officially went into remission and finished treatment on June 2nd 2020. I stayed under close surveillance for the next few years until a CT scan in early 2023 showed that I could possibly have cancer again, this time in my appendix. I underwent another surgery to remove my appendix and it came back positive for Goblet Cell Cancer, a very rare form of cancer that only about 1 in 2 million people are diagnosed with.

A few weeks after my recovery from appendix surgery, I had my routine colonoscopy which unfortunately revealed that the Colon Cancer had returned in the same place it was in 2019. The plan from here was to remove my colon completely. I underwent another surgery in April 2023 to remove my entire colon and be placed with a permanent ostomy bag.

After my recovery from Colon surgery I was placed back on close surveillance. My recent CT scan on October 7th, 2023 showed cancer in some soft tissue in my abdomen area. My blood work also shows cancer cells rising. I will be placed back on chemotherapy starting



Timothy Sexton

Organizer
Utica, MI

Created October 29th, 2023

[Sep. 29, 2023](#) - Jessup, MD - 43 year old Pamela Harrison had stomach pains and was rushed to have her appendix removed on Sep. 15, 2023. "My appendix came back fully covered in Stage 4 cancer". Now needs to have 80% of her colon removed.

Stage 4 colon cancer goblet cell adenocar



Pamela Harrison is organizing this fundraiser.



Pamela Harrison

Organizer
Jessup, MD

Hi, my name is Pamela Harrison and I was recently diagnosed with stage 3 colon cancer on September 29, 2023 at the age of 43. I underwent a scare on September 15, just from stomach pains to being rushed into surgery to have my appendix removed. All within being in the ER for less than 2 hours. I was released to go home to start recovery from this surgery on September 20. I left with my instructions and was to be believed I would be able to return to work October 2, 2023. Well, the worse news came through September 23, 2023. My surgeon's secretary had called, and said the surgeon needs to see you on an emergency visit a lot sooner. Could I be there Friday, September 29 at 9:30? Of course I complied. After receiving the calling, later that evening my primary care doctor call me at 7pm that night, after closing down the practice. The usual, "Hey Pamela how are you doing, and how is my recovering going from my appendix being removed. I said, I'm doing as told and rested. He then said, he had received my results from appendix, and I was very sick. My appendix came back fully covered in Stage 4 cancer. As removing the appendix, there was a slight leak that was going into my body. Which we all know, happens after that. My body was leaking sepsis. Before any of this, the surgeon had spoken with my daughter and made it clear, if I hadn't made it to the hospital that day, my life would have most likely ended within hours maybe a day (it was about to rupture)! I went to my appointment on Friday, September 29, 2023 going in at least knowing some information, but not everything. To learn that I'm going to be going under surgery in the next week or two, to have 70-80 of my colon removed and all the tumors surrounding. My colon has come back as a stage 3, but

[Aug. 14, 2023](#) - Wellington, FL - Sharika Moss was found to have a 10-15cm mass behind her uterus. It was cancer of the appendix and intestines.

Sharika Moss Cancer Treatment



Once I arrived in the USA at the end of June 2023, I went to the Hospital where I was admitted for over (3) weeks; the Doctors conducted numerous comprehensive exams to determine a more accurate cause of what was taking place in my body. When the exams were done, the Doctors found a 10 – 15cm mass behind my uterus. The surgery was done where the Doctors did a biopsy and discovered that I have cancer on my appendix and intestines and I urgently need to have additional surgeries in hopes of removing all of the cancer cells.



Michael Lightbourne

Organizer
Wellington, FL

Created August 14th, 2023

[June 18, 2023](#) – Dallas, TX – 40s year old Home Care Nurse Eber Delgado was diagnosed with Stage 4 Appendix Cancer and needs a major surgery.

Pay for surgery and hospital bills for my son...



\$5



Margarita Segundo is organizing this fundraiser on behalf of Eber Delgado.

Created June 18th, 2023

Hi,

My name is Margarita, and I am fundraising for my oldest son Eber. He is a dedicated Home Health Nurse working in the Dallas-Fort Worth Metroplex, who has made a parenthesis in his life, and vocation as a nurse, to treat a Cancer that developed in his appendix. He was recently diagnosed with Appendiceal Cancer Stage 4, and already had 2 surgeries, one to remove a tumor that he had inside the appendix, and another to remove tissue, and collect biopsies to determine the severity of his situation; there biopsies were done in preparation for a major surgery that will take place this Tuesday, June 20th, 2023 here in Plano, Texas



Margarita Segundo →

Organizer
Dallas, TX



Eber Delgado

Beneficiary

My Take...

According to CDC and FDA, appendicitis was the most common Serious Adverse Event (non-fatal) for the Pfizer COVID-19 mRNA Vaccine Trial.

FDA suggested more studies, so 3 major studies were done and they were sponsored by either Pfizer, CDC or Astrazeneca (and a few other big pharma companies).

- [Barda et al](#) - no link to COVID Vaccines ([Sponsored by Pfizer](#))
- [Klein et al](#) - no link to COVID Vaccines ([Sponsored by CDC & Pfizer](#))
- [Kildegaard et al](#) - no link to COVID Vaccines ([Sponsored by AstraZeneca, etc](#))

Understandably, they found no link between COVID-19 mRNA Vaccines and appendicitis, and their financial sponsors were satisfied.

2500 reported cases of Appendicitis in WHO VigiAccess, times an under-reporting factor of

100, means potentially 100,000s of cases worldwide.

Does this seem like an acceptable “Serious Adverse Event”?

- 90% were classified as serious
- 85% were hospitalized
- 26% were life-threatening
- 2% were disabled
- 0.3% died
- dozens of children under age 12 injured in VAERS requiring surgery, including a 20 month old girl from New York with a ruptured appendix after Moderna mRNA Vaccine.

My concern is specifically regarding Turbo Cancers of the Appendix.

Appendix cancers are extremely rare (1 in a million), but they’re starting to show up at Stage 4, in young people, large tumors, extremely aggressive, just like other Turbo Cancers I’ve been writing about.

CDC Official wrote: “The Vaccine clearly causes hyperplasia of lymphoid tissue and that could cause appendicitis and small bowel obstruction”. Yeah, in the short term. What about the LONG TERM?

Can COVID-19 mRNA Vaccines cause Stage 4 Turbo Cancers of the Appendix? Although the information is very preliminary, I believe they do.


That means children and young adults are at risk of yet another Turbo Cancer.

*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Dr. William Makis is a Canadian physician with expertise in Radiology, Oncology and Immunology. Governor General’s Medal, University of Toronto Scholar. Author of 100+ peer-reviewed medical publications.

Featured image is from [Dr. Rath Health Foundation](#)



The Worldwide Corona Crisis, Global Coup d'Etat Against Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project “destroys people’s lives”. He provides a comprehensive analysis of everything you need to know about the “pandemic” — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

“My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the “deadly” COVID-19 “vaccine”. This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument.”

Reviews

This is an in-depth resource of great interest if it is the wider perspective you are motivated to understand a little better, the author is very knowledgeable about geopolitics and this comes out in the way Covid is contextualized. —Dr. Mike Yeadon

In this war against humanity in which we find ourselves, in this singular, irregular and massive assault against liberty and the goodness of people, Chossudovsky’s book is a rock upon which to sustain our fight. –Dr. Emanuel Garcia

In fifteen concise science-based chapters, Michel traces the false covid pandemic, explaining how a PCR test, producing up to 97% proven false positives, combined with a relentless 24/7 fear campaign, was able to create a worldwide panic-laden “plandemic”; that this plandemic would never have been possible without the infamous DNA-modifying Polymerase Chain Reaction test – which to this day is being pushed on a majority of innocent people who have no clue. His conclusions are evidenced by renown scientists. —Peter Koenig

Professor Chossudovsky exposes the truth that “there is no causal relationship between the virus and economic variables.” In other words, it was not COVID-19 but, rather, the deliberate implementation of the illogical, scientifically baseless lockdowns that caused the shutdown of the global economy. –David Skripac

A reading of Chossudovsky’s book provides a comprehensive lesson in how there is a global coup d’état under way called “The Great Reset” that if not resisted and defeated by freedom

loving people everywhere will result in a dystopian future not yet imagined. Pass on this free gift from Professor Chossudovsky before it's too late. You will not find so much valuable information and analysis in one place. -Edward Curtin

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

Price: ~~\$11.50~~ FREE COPY! [Click here \(docsend\) and download.](#)

We encourage you to support the eBook project by making a donation through Global Research's [DonorBox "Worldwide Corona Crisis" Campaign Page](#).

The original source of this article is [COVID Intel](#)
Copyright © [Dr. William Makis](#), [COVID Intel](#), 2023

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. William Makis](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca