

# Argentina: Devastating Consequences of GMO-based Intensive ag on Native Amphibians

Glyphosate exposures caused sublethal effects, reducing mobility in 79% of tadpoles

By [GMWatch](#)

Global Research, December 16, 2019

[GMWatch](#) 12 December 2019

Region: [Latin America & Caribbean](#)

Theme: [Biotechnology and GMO](#)

*According to the study below, soybean production in South America now covers over 57 million ha, more than on any other continent. The consequences for amphibians have been devastating, as is clear from the study highlights and abstract.*

The authors conclude in their study: “Our work has triggered alarm about the detrimental impact of pesticides (insecticides and herbicides) on native amphibians inhabiting the shallow ponds of the richest agricultural lands of South America. We documented effects caused by pesticides on tadpoles which can compromise the viability of populations living in agricultural landscapes. The intensive agricultural model based on the GMO technological package currently applied in South America is expected to expand (and intensify) over the coming years. Therefore, it is also expected that native amphibian populations will continue being affected. We suggest that conservation priorities should be focused on developing a better policy legislation for pesticide use, including not only the protection of human settlements but also native terrestrial and wetland habitats.”

Pesticides in the real world: The consequences of GMO-based intensive agriculture on native amphibians

M. Gabriela Agostini, Ignacio Roesler, Carlos Bonetto, Alicia E. Ronco, David Bilenca

Biological Conservation

Volume 241, January 2020, 108355

<https://www.sciencedirect.com/science/article/pii/S0006320719309905>

(open access)

## Highlights

- Collaborative work with farmers allowed us to test pesticide impacts on amphibians.
- Tadpole survival dramatically decreased after pesticides reached the ponds.
- 93% of surviving tadpoles exposed to insecticides, exhibited impairment of mobility.
- Glyphosate exposures caused sublethal effects, reducing tadpole mobility in 79% [of tadpoles].
- We detected pesticide impacts on amphibians in real exposure scenarios.

## Abstract

Pesticide use has been suggested as one of the major drivers of the global amphibian decline. Laboratory and mesocosm studies have addressed several questions to understand the mechanism by which pesticides cause detrimental effects on amphibians. However, the extrapolation of those results to natural populations may not be adequate to predict environmental impacts or to understand the role of pesticides in the amphibian decline. By using in situ enclosures, we evaluated the effects (survival and mobility) of common pesticides applied by farmers (cypermethrin, chlorpyrifos, endosulfan, glyphosate, and 2,4-Dichlorophenoxyacetic acid) on tadpoles. We assessed these effects in four common amphibian species from South America across 91 ponds located in the Pampas of central Argentina. We found that survival decreased in 13 out of 20 pesticides applications concomitantly with detection of pesticides in water ponds. 48 h after applications, mixtures containing endosulfan or chlorpyrifos reduced tadpole survival to <1% while the cypermethrin mixtures reduced survival to 10%. In addition, we found impairment of mobility in all combination of pesticides, including glyphosate. The ecological context involved in our study represents the common exposure scenarios related to GMO-based agriculture practices in South America, with relevance at regional levels. We emphasize that multifaceted approaches developed to understand the role of pesticides in the amphibian decline need a conservation perspective. This will be achieved by work focusing on the integrated use of state-of-the-art techniques and resources for documenting pesticide effects over wild amphibians' populations, allowing conservation scientists to generate better management recommendations.

\*

Note to readers: please click the share buttons above or below. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

*Featured image is from GMWatch*

The original source of this article is [GMWatch](#)

Copyright © [GMWatch](#), [GMWatch](#), 2019

---

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [GMWatch](#)

**Disclaimer:** The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)  
[www.globalresearch.ca](http://www.globalresearch.ca) contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)