

COVID-19 Vaccine Injuries: Ear and Labyrinth Disorders - Tinnitus, Vertigo, Ear Pain, Hearing Problems, Deafness

By [Dr. William Makis](#)

Theme: [Science and Medicine](#)

Global Research, March 17, 2023

[COVID Intel](#) 16 March 2023

All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name (desktop version)

To receive Global Research's Daily Newsletter (selected articles), [click here](#).

Follow us on [Instagram](#) and [Twitter](#) and subscribe to our [Telegram Channel](#). Feel free to repost and share widely Global Research articles.

Alberta woman's COVID-19 vax injury vindicated by federal compensation

Carrie Sakamoto was a healthy woman two years ago. First, she received an AstraZeneca COVID-19 vaccination, and followed up with Pfizer's version in July of 2021. She was never well again. ([click here](#))

"I got sick that evening, but it was just like regular flu symptoms...then by day ten, I was in the hospital." Bell's Palsy was setting in, causing Sakamoto's brain to swell, causing "really bad" vomiting. Her 5-ft 4-ins. frame shrunk to 100 lbs.

"I wasn't able to eat because I had all these flu symptoms. By the time I got to hospital, I was in pretty bad shape. I had to learn how to walk with a walker because my balance was gone. I had to learn to chew and swallow, which I couldn't do. I had a feeding tube too, because I kept aspirating on the food I was trying to chew."

Sakamoto was diagnosed with Bell's Palsy that causes her facial paralysis and dizziness. She now has a hearing aid in her right ear due to 35% hearing loss that ensued. She also suffers [with trigeminal neuralgia](#)"

On March 1, 2023, she received compensation of "less than \$100,000" from Canada's Vaccine Injury Support Program.

How common are COVID-19 vaccine audiovestibular injuries?

As of March 16, 2023, WHO's VigiAccess database recorded 140,995 Adverse Events involving "Ear and labyrinth disorders" following COVID-19 vaccination: ([click here](#))

COVID-19 vaccine is an active ingredient
There are **4932359** reports with this active ingredient

Reported potential side effects

▼ Ear and labyrinth disorders (1%, 140995 ADRs)

Tinnitus (57 630)	Deafness bilateral (441)	Vertigo labyrinthine (74)	External ear disorder (16)
Vertigo (49 824)	Middle ear effusion (333)	Tympanic membrane disorder (59)	Noninfective myringitis (14)
Ear pain (17 731)	Ear haemorrhage (266)	Phobic postural vertigo (57)	Otosclerosis (14)
Ear discomfort (7 139)	Inner ear disorder (247)	Endolymphatic hydrops (56)	Ototoxicity (14)
Hypoacusis (6 458)	Deafness transitory (202)	External ear inflammation (54)	Mastoid effusion (13)
Deafness (5 858)	Ear inflammation (202)	Dysacusis (50)	Autophony (12)
Sudden hearing loss (3 237)	Acute vestibular syndrome (201)	Otolithiasis (33)	Tympanic membrane hyperaemia (12)
Deafness unilateral (3 214)	Otorrhoea (196)	Conductive deafness (29)	Autoimmune inner ear disease (10)
Hyperacusis (2 921)	Excessive cerumen production (158)	Inner ear infarction (28)	Vestibular ataxia (10)
Vertigo positional (1 868)	External ear pain (129)	Diplacusis (27)	Vestibular ischaemia (9)
Ear swelling (1 295)	Inner ear inflammation (123)	Cerumen impaction (26)	Vestibular paroxysmia (8)
Deafness neurosensory (886)	Eustachian tube dysfunction (117)	Ear canal erythema (24)	Superior semicircular canal dehiscence (6)
Ear congestion (752)	Tympanic membrane perforation (109)	Mastoid disorder (24)	Ear canal stenosis (5)
Motion sickness (736)	Neurosensory hypoacusis (108)	Misophonia (22)	Haematotympanum (5)
Ear disorder (672)	Middle ear inflammation (106)	Presbycusis (22)	Aural polyp (4)
Meniere's disease (633)	Paraesthesia ear (101)	Red ear syndrome (22)	Ear deformity acquired (3)
Auditory disorder (571)	Auricular swelling (87)	Middle ear disorder (21)	Neonatal deafness (3)
Vestibular disorder (568)	Eustachian tube obstruction (85)	Mixed deafness (19)	Chondrodermatitis nodularis chronica helices (2)
Ear pruritus (548)	Eustachian tube disorder (78)	Deafness permanent (18)	Myringosclerosis (2)

Most notable are:

- Tinnitus: 57,630
- Vertigo: 49,824
- Ear Pain: 17,731
- Deafness: 5,858
- Sudden hearing loss: 3,237


Tinnitus

Tinnitus is an otologic symptom characterized by a conscious perception of sound without an external auditory stimulus.

One study that reviewed the VAERS database found: "COVID-19 vaccines were associated with statistically significant increases in the incidence of vertigo, tinnitus, hearing loss and Bell's palsy of 1877, 50, 12 and 14 cases per 100,000." ([click here](#))

The cause remains unknown. Another study speculates: "Conceivable that mRNA entered the cochlea via hematogenic spread, thrombosis of a cochlear vein occurred, there was isolated neuronitis of the cochlear nerve, there was focal encephalitis, or thrombosis of cerebral veins had occurred. It is also conceivable that immunologic reactions against the virus secondarily affected cochlear structures or the cochlear nerve ([click here](#)).

Although many patients suffer terribly with post COVID-19 mRNA vaccine tinnitus, most published studies downplay it, and doctors offer nothing to treat it.



Ali Hamilton @AliHam999 · Feb 7, 2022

...

Replying to @dardthoggy and @viewspotnz

I was at ENT today, I have developed **tinnitus** from my **Pfizer** booster. She said there's nothing they can do for it and she's seen lots of people with **tinnitus** since getting their jabs.



Veneration  @depthhidden · Mar 12

...

@chickenranch777 How is your **tinnitus** now ? I got severe **tinnitus** after my 1 and only **Pfizer** jab and 2 years later it is still just as bad, multiple tones, reactive, hyperacusis, etc. I am sick of it, May 12th 2021 will go down as the biggest day of regret in my life.



SBtheNP, FNP-BC  @ResearcherNP · Feb 13

...

Pfizer Vaccine Linked to Hearing Issues and **Tinnitus**. I am living this 24/7 nightmare yet ZERO RESEARCH ON US from our tax payer funded @PFIZER



 **angela**  @angela100602 · Mar 23, 2022

...

Replying to @beverleyturner and @sajidjavid

After being **Pfizer** booster injured with hearing loss, debilitating **tinnitus** & vertigo..they can stick their 4th poisonous injection were the sun doesn't shine. I'm am delighted I trusted my gut instinct when it comes to my young son & not give him these experimental injections 🤬

Tinnitus Treatment



芯片之战 后时代 CERN 万毒姆为首 万毒齐放 万苗齐... @tw... · Feb 9

...

Replying to @ResearcherNP and @pfizer

my friend got the worst **tinnitus** ever after the "vaccine" and she recovered by taking Quercetin and zinc and NAC



Concerts_yay @concerts_yay · Feb 22, 2022

...

Replying to @MCunni and @MdBreathe

My mother, who has been suffering with **tinnitus** since the **Pfizer**, is getting some relief with **acupuncture**.

There is a very recent paper from China that offers acupuncture as one option to seek some relief for post COVID-19 vaccine tinnitus ([click here](#)).

As for Quercetin and NAC, both have spike protein binding and inhibiting abilities.

"Molecular docking studies have highlighted that quercetin, a natural polyphenol belonging to the flavonol class, inhibits 3CLpro, PLpro and spike (S) proteins." ([click here](#))

Proteomics data showed that N-acetyl cysteine (NAC), an antioxidant and mucolytic agent been widely in use in clinical medicine, forms covalent conjugates with solvent accessible cysteine residues of spike protein that were disulfide bonded in the native state. *In silico* analysis indicated that this covalent conjugation perturbed the stereo specific orientations of the interacting key residues of spike protein that resulted in threefold weakening in the binding affinity of spike protein with ACE2 receptor ([click here](#))

Vertigo

Vertigo is the sensation that you, or the environment around you, is moving or spinning.

One study found that the mean time to onset of vertigo/dizziness following vaccination is 10 days ([click here](#))

A Japanese study examined 378 patients who presented at the vertigo clinic, and found that “vestibular neuritis should be recognized as one of the side effects of BNT162b2 (Pfizer) COVID-19 vaccination” ([click here](#))

Hearing Loss

WHO admits: Pfizer vaccine potentially linked to hearing loss ([click here](#))

“What has been heartbreaking about this, as a seasoned physician, are the emails I get from people that, this has affected their life so badly, they have told me they are going to take their own life”

“The WHO reported 367 cases of tinnitus and 164 cases of hearing loss among the 11 billion vaccines administered — with onset ranging from a few minutes to 19 days, but most commonly within a day of the jab.”

“The most reported COVID-19 vaccines in these cases were Pfizer/BioNTech” the WHO bulletin stated, making up approximately 80 per cent of the cases. Researchers noted hearing loss is not included as an adverse reaction on the product labelling for COVID-19 vaccines”

Many of these cases are treated with 2 weeks of oral steroids, sometimes with addition of ASA, and severe cases with local steroid injections ([click here](#))



Sue O'Grady @OGradySue · Mar 10, 2022

...

Replying to [@michellespj](#)

Me too. Third **Pfizer** jab gave me permanent **hearing loss** and tinnitus. If I knew then what I know now.....



Aisling WALSH @AislingMWalsh · Dec 8, 2021

...

@theysayitsrare my aunt had terrible ringing in her kept ear & **hearing loss** after 2nd **Pfizer**. Confirmed neurological damage from the vax. 3 day case hospital admissions for steroid injection into the ear. Didn't work, Hearing continues to deteriorate & tinnitus is debilitating

My Take

There are 10,000s of cases of post COVID-19 vaccine tinnitus, vertigo and hearing loss reported to VAERS, Eudravigilance, Vigiacess, UK Yellow Card, etc.

The causes are the usual: autoimmune reactions, blood clots (vascular), blood vessel inflammation (vasculitis).

After reading dozens of studies, I was disturbed by what lengths the medical literature has gone to, to minimize these debilitating audio-vestibular side effects of COVID-19 vaccines, which were most prevalent with Pfizer mRNA.

The JAMA hearing loss study by Formeister excluded 75% of the 2170 VAERS reports and concluded that there was no link between COVID-19 vaccines and hearing loss. ([click here](#))

A follow-up JAMA study by Ulrich admitted that Israeli data had shown a higher risk of hearing loss after vaccination compared to expected rates but that this had “minimal impact with regard to public health” ([click here](#))

JAMA (Journal of the American Medical Association) has been one of the most corrupt journals throughout the COVID-19 pandemic.

It appears that some relief from these injuries is possible with Quercetin, NAC or other compounds that bind the spike protein and inhibit its action.

*

Note to readers: Please click the share buttons above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Dr. William Makis is a Canadian physician with expertise in Radiology, Oncology and Immunology. Governor General's Medal, University of Toronto Scholar. Author of 100+ peer-reviewed medical publications.

Featured image is from the author



antoinette @antoinetteb12e · Jul 19, 2022



Replying to [@CartlandDavid](#)

vaccine injured - Canadian - extreme vertigo that lasted 6 months - lost consciousness - tinnitus - **hearing loss** - 1 dose - **pfizer** - march 2021.



The Worldwide Corona Crisis, Global Coup d'Etat Against Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project “destroys people’s lives”. He provides a comprehensive analysis of everything you need to know about the “pandemic” — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

“My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the “deadly” COVID-19 “vaccine”. This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument.”

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

Price: ~~\$11.50~~ Get yours for FREE! [Click here to download.](#)

We encourage you to support the eBook project by making a donation through Global Research’s [DonorBox “Worldwide Corona Crisis” Campaign Page.](#)

The original source of this article is [COVID Intel](#)

Copyright © [Dr. William Makis](#), [COVID Intel](#), 2023

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. William Makis](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in

print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca