

COVID mRNA Injury Series: Vaginal Bleeding After COVID-19 mRNA Vaccination

New September 2023 Paper by Blix et al. is making waves, but the real truth is far worse. Nine papers reviewed and VAERS Reports

Theme: Science and Medicine

By Dr. William Makis

Global Research, September 28, 2023

COVID Intel


All Global Research articles can be read in 51 languages by activating the Translate Website button below the author's name.

To receive Global Research's Daily Newsletter (selected articles), click here.

Click the share button above to email/forward this article to your friends and colleagues. Follow us on <u>Instagram</u> and <u>Twitter</u> and subscribe to our <u>Telegram Channel</u>. Feel free to repost and share widely Global Research articles.

Papers Reviewed

- <u>Sep. 22, 2023 Blix et al.</u> Norwegian study of 20,000 women
- Sep. 2023 Thabet et al. Saudi Study of 500 women ages 18-45
- Sep. 2023 Jensen et al. Danish study of 13,600 women ages 16-65
- Aug. 2023 Trogstad et al. Norwegian study of 3972 women ages 18-30
- <u>June 2023 Paik et al.</u> South Korean study of abnormal uterine bleeding
- <u>June 2023 Yoon et al</u>. South Korean Survey of 2849 people ages 18-49
- June 2023 Wali et al. Saudi Study of 300 women ages 15-50
- Aug. 2022 Isaakov et al Israeli study of 7476 vaccinated women






Amenorrhoea (23837)
Polymenorrhoea (21248)
Vaginal haemorrhage (12451)
Breast pain (12274)
Postmenopausal haemorrhage (8828)
Oligomenorrhoea (8569)
Hypomenorrhoea (5298)
Menometrorrhagia (3595)
Pelvic pain (3264)
Breast swelling (3201)
Premenstrual syndrome (2971)
Abnormal uterine bleeding (2760)

<u>Sep. 22, 2023</u> – Unexpected vaginal bleeding and COVID-19 vaccination in non-menstruating women

- Norwegian study of women who self-reported experiencing unexpected vaginal bleeding after COVID-19 vaccination
- Results are based on self-reported data from questionnaires issued in August and September 2021.
- 7725 postmenopausal women (non-menstruating) 3.3% had bleeding
- 7148 perimenopausal women (non-menstruating) 14.1% had bleeding
- 7052 premenopausal women (non-menstruating) 13.1% had bleeding
- 50% of these happened within 28 days of COVID-19 Vaccination
- Moderna had 32% increased risk compared to Pfizer
- In postmenopausal women, the risk of unexpected vaginal bleeding in the 4 weeks after COVID-19 vaccination was increased two- to threefold
- risk of unexpected vaginal bleeding after vaccination was increased three- to fivefold in both non-menstruating peri- and premenopausal women
- European Medicines Agency recently decided that the product information of the mRNA vaccines (i.e., Spikevax and Comirnaty) should be updated to include heavy menstrual bleeding as a potential side effect
- postmenopausal bleeding following COVID-19 vaccination can be a symptom of endometrial carcinoma and precancerous lesions and is considered an important medical event
- Authors: "Increased risk after both Pfizer and Moderna suggest a mechanism related to the spike protein and not to other vaccine components. Pathways related to local changes in the endometrium, possibly resulting from a spike related immune response or related to the endometrial expression of ACE2 receptors may be involved"
- Experts are not entirely sure why changes in menstruation occur, but some believe the vaccine causes some of the body's tissue to become inflamed, causing changes to the lining of the uterus and hormone levels throughout the



Sep. 2023 - Thabet et al. - Saudi Study of 500 women ages 18-45

- Online self-administered survey of 500 Saudi women ages 18-45
- 44% reported menstrual disturbance
- "found a significant relationship between the duration of flow, menstrual blood loss, and severity of dysmenorrhea before and after receiving the first, second, and third doses of Covid-19 vaccine"
- "present study concluded that women who receive the Covid-19 vaccine may experience menstrual abnormalities, such as a significant difference in cycle length, flow duration, menstrual blood loss, and dysmenorrhea severity before and after receiving the first, second, and third doses of the vaccine."

Sep. 2023 - Jensen et al. - Danish study of 13,600 women ages 16-65

- Danish study of 13,648 women ages 16-65 who completed surveys
- 30% of all menstruating women reported menstrual changes after COVID-19 vaccination
- "several potential risk factors including stress, vaccine concerns, severe COVID-19 infection, and immediate vaccine symptoms were associated with these reports."

Aug. 2023 - Trogstad et al. - Norwegian study of women ages 18-30

- Norwegian survey of 3972 women ages 18-30 years old
- 38.8% reported menstrual disturbance after 1st vaccine dose
- heavy bleeding in 13.6% after 1st dose and 15.3% after 2nd dose
- prolonged bleeding in 12.5% after 1st dose and 14.3% after 2nd dose
- Authors: "We found increased risk of menstrual disturbances after vaccination, particularly for heavier bleeding than usual, prolonged bleeding, shorter interval

between menstruations, and stronger period pain."

June 2023 - Paik et al. - South Korean study of abnormal uterine bleeding

- "Korean Specialized Committee for the compensation of loss after COVID-19 vaccination has decided to include abnormal uterine bleeding (AUB) as a "suspected related symptom" after COVID-19 vaccination on August 16, 2021, for all vaccine types, including those manufactured by Oxford-AstraZeneca, Moderna, Pfizer-BioNTech, and J&J."
- "This decision has enabled those who developed AUB after vaccination for COVID-19 to claim compensation from the committee and receive support."
- "The scientific basis for this decision was the analysis by the COVID-19 Vaccine Safety Committee of the National Academy of Medicine of Korea. After a comprehensive analysis of domestic and international data on adverse reactions reported after COVID-19 vaccination, the committee has announced the discovery of a statistically significant association between AUB and COVID-19 vaccination, which is sufficient evidence to establish a causal relationship."

June 2023 - Yoon et al. - South Korean Survey ages 18-49

- South Korean researchers conducted a survey of 2849 people ages 18-49
- "A notable finding was that over 15% of female participants reported menstrual disorders and unexpected vaginal bleeding after mRNA vaccination"

June 2023 - Wali et al. - Saudi Study of 300 women ages 15-50

- Saudi researchers studied 300 women ages 15-50 years old
- 44% reported a change in the length and amount of the menstrual cycle
- 29% reported worsened premenstrual syndrome (PMS)
- 11% reported decreased libido
- 10% noticed a decrease in milk production
- 4% lost their pregnancy

Aug. 2022 - Isaakov et al - Israeli study of 7476 vaccinated women

- Israeli researchers conducted a nationwide questionnaire survey: 7904 women
- 49.3% of women had changes in menstrual patterns after COVID-19 vaccination
- 80.6% of them had "excessive bleeding"
- 61.1% of cases it occurred between vaccination and the ensuing menstrual period
- Conclusion: "long-term consequences of the BNT162b2 vaccine on uterine bleeding warrant further investigation."

Serious Adverse Event Cases of Vaginal Bleeding:

VAERS ID 1904168 - 7 year old from Georgia had 1st Pfizer

 VAERS ID: 1904168 (history)
 Vaccinated:
 2021-11-20

 Form:
 Version 2.0
 Onset:
 2021-11-21

Age: 7.0 Days after vaccination: 1

Sex:FemaleSubmitted:0000-00-00Location:GeorgiaEntered:2021-11-27

	Lot / Dose		
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	FK5127 / 1	RA/	SYR

Administered by: Pharmacy Purchased by: ? Symptoms: Culture urine, Vaginal haemorrhage

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow)

Life Threatening? No Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? No ER Visit? No

ER or Doctor Visit? Yes

Hospitalized? No Previous Vaccinations: Other Medications: N/A Current Illness: N/A

Preexisting Conditions: N/A

Allergies: N/A

Diagnostic Lab Data: Urine culture on 11/26/2021 at urgent care. Waiting for the result which may come

out on 11/29. CDC Split Type:

Write-up: She has pink and brown blood spots on her underwear every two days after the vaccine. Not

sure whether blood comes from vaginal or urinary.

<u>VAERS ID 2014388</u> – 8 year old from Illinois, had 1st Pfizer and had vaginal bleeding 9 days & 16 days later

 VAERS ID: 2014388 (history)
 Vaccinated:
 2021-12-04

 Form:
 Version 2.0
 Onset:
 2021-12-13

Age: 8.0 Days after vaccination: 9

Sex:FemaleSubmitted:0000-00-00Location:IllinoisEntered:2022-01-07

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/1	- / IM

Administered by: Private Purchased by: ?

Symptoms: Vaginal haemorrhage

SMQs: Haemorrhage terms (excl laboratory terms) (narrow)

Life Threatening? No Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? No Hospitalized? No Previous Vaccinations: Other Medications: N/A Current Illness: N/A Preexisting Conditions: N/A

Allergies: N/A

Diagnostic Lab Data: CDC Split Type:

Write-up: Vaginal bleeding occurred ~9 days later (12/13/21), then ~16 days (12/20/21) from vaccination date again. Unknown if these events are related. No other signs of early puberty on exam. Our plan is

continuing to monitor, no concern for menarche or puberty induced from vaccination.

 ${\color{red} {\sf VAERS\ ID\ 2108864}}$ – 5 year old had 1st Pfizer mRNA – developed vaginal bleeding and vaginal disorder

 VAERS ID: 2108864 (history)
 Vaccinated:
 2022-01-14

 Form:
 Version 2.0
 Onset:
 2022-01-24

Age: 5.0 Days after vaccination: 10

Sex:FemaleSubmitted:0000-00-00Location:IllinoisEntered:2022-02-12

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	FL0007 / 1	RA/-

Administered by: Pharmacy Purchased by: ?

Symptoms: Vaginal haemorrhage

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow)

Life Threatening? No Birth Defect? No

Died? No

Permanent Disability? No

Recovered? No Office Visit? Yes ER Visit? No

ER or Doctor Visit? No Hospitalized? No Previous Vaccinations: Other Medications: Current Illness:

Preexisting Conditions: Comments: List of non-encoded Patient Relevant History: Patient Other

Relevant History 1: no

Allergies:

Diagnostic Lab Data:

CDC Split Type: USPFIZER INC202200139780

Write-up: She is bleeding out of her vagina; This is a spontaneous report received from contactable reporter(s) (Consumer or other non HCP). A 5 year-old female patient (not pregnant) received bnt162b2 (BNT162B2), administered in arm right, administration date 14Jan2022 10:30 (Lot number: FL0007) at the age of 5 years as dose 1 (tris), single for covid-19 immunisation. Relevant medical history included: "no" (unspecified if ongoing). The patient"s concomitant medications were not reported. Past drug history included: No, reaction(s): "Allergy". The following information was reported: VAGINAL HAEMORRHAGE (medically significant) with onset 24Jan2022 07:00, outcome "unknown", described as "She is bleeding out of her vagina". The event "she is bleeding out of her vagina" was evaluated at the physician office visit. Therapeutic measures were taken as a result of vaginal haemorrhage, vaginal disorder. Clinical course: The patient is now having vaginal issues. She is bleeding out of her vagina. She has never had this issue before the vaccine. For treatment they are currently working with doctors to treat. Additional information: the patient had no other vaccine in four weeks, no other medications in two weeks, no covid prior vaccination and no Known allergies.

TGA 649566 (AUSTRALIA) – 6 year old had dysmenorrhea, heavy menstrual bleeding, menstrual disorder after Pfizer

Case number	Report entry date	Age (yrs)	Gender	Medicines reported as being taken	MedDRA reaction terms Click on a term below to search the MedlinePlus medical dictionary.
649488	24/10/2021	47	F	COMIRNATY COVID- 19 vaccine (tozinameran) - Suspected	Influenza like illness Injection site pain Neck pain Pain in extremity Swelling
649498	24/10/2021	46	F	COMIRNATY COVID- 19 vaccine (tozinameran) - Suspected	Chest pain Pain in extremity Peripheral swelling
649513	24/10/2021	39	F	COMIRNATY COVID- 19 vaccine (tozinameran) - Suspected	Dyspnoea Gout
649554	24/10/2021	12	F	COMIRNATY COVID- 19 vaccine (tozinameran) - Suspected	Chest pain
649566	24/10/2021	6	F	COMIRNATY COVID- 19 vaccine (tozinameran) - Suspected	Back pain Chest pain Dysgeusia Dysmenorrhoea Dyspnoea Headache Heart rate increased Heavy menstrual bleeding Insomnia Joint stiffness Menstrual disorder Nasal congestion Pain Paraesthesia Pyrexia Throat irritation

TGA 695126 (AUSTRALIA) – 11 year old had "vaginal hemorrhage" after Pfizer

Case number	Report entry date	Age (yrs)	Gender	Medicines reported as being taken	MedDRA reaction terms Click on a term below to search the MedlinePlus medical dictionary.
694943	15/01/2022	6	F	COMIRNATY COVID-19 vaccine (tozinameran) - Suspected	Visual impairment
695107	15/01/2022	7	М	COMIRNATY COVID-19 vaccine (tozinameran) - Suspected	• Epistaxis
695022	15/01/2022	8	М	COMIRNATY COVID-19 vaccine (tozinameran) - Suspected	Headache Nausea Night sweats Photophobia
694945	15/01/2022	10	F	COMIRNATY COVID-19 vaccine (tozinameran) - Suspected	Cold sweat Nausea Pallor Vision blurred Vomiting
695126	15/01/2022	11	F	COMIRNATY COVID-19 vaccine (tozinameran) - Suspected	Vaginal haemorrhage

<u>VAERS 1531771</u> – 30 year old from Colorado had 2nd Pfizer mRNA vaccine, then had vaginal bleeding, placenta abruption, infarction in placenta, preterm labor, hemorrhage during delivery. "Delivered my stillborn son"

 VAERS ID: 1531771 (history)
 Vaccinated:
 2021-03-02

 Form:
 Version 2.0
 Onset:
 2021-03-05

Age: 30.0 Days after vaccination: 3

Sex:FemaleSubmitted:0000-00-00Location:ColoradoEntered:2021-08-06

Vaccination / Manufacturer		Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	EN6205 / 2	LA / IM

Administered by: Private Purchased by: ?

Symptoms: Exposure during pregnancy, Haemorrhage, Inappropriate schedule of product administration, Laboratory test abnormal, Placental infarction, Premature labour, Premature separation of placenta, Stillbirth, Vaginal haemorrhage

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Embolic and thrombotic events, vessel type unspecified and mixed arterial and venous (narrow), Pregnancy, labour and delivery complications and risk factors (excl abortions and stillbirth) (narrow), Termination of pregnancy and risk of abortion (narrow), Medication errors (narrow)

Life Threatening? Yes

Birth Defect? No

Died? No

Permanent Disability? No

Recovered? Yes Office Visit? Yes

ER Visit? No

ER or Doctor Visit? Yes Hospitalized? Yes, 2 days Extended hospital stay? No Previous Vaccinations:

Other Medications: Prenatal vitamin

Current Illness: None

Preexisting Conditions: Chronic hypertension

Allergies: None

Diagnostic Lab Data: 5/4/2021: Placenta tissue exam confirming a placental infarct compromising less

than 5% of the placental parenchyma

CDC Split Type:

Write-up: I received my first Pfizer vaccine on 12/22/2020 (Lot: EJ1685) unknowing that I was less than 2 weeks pregnant. I received my second Pfizer vaccine on 3/2/2021 when I was 13 weeks gestation. I developed bright red vaginal bleeding on 3/5/2021 and was later diagnosed with chronic placenta abruption due to an infarction in the placenta. Due to the chronic bleeding from the placenta abruption, I went into preterm labor at 21 weeks 5 days gestation. I unfortunately hemorrhaged and delivered my stillborn son on 5/1/2021 at 22 weeks 1 day gestation. I have recovered from the hemorrhage without known long term side effects.

<u>VAERS 1675804</u> - 33 year old from Minnesota had 1st Moderna mRNA - had vaginal bleeding, urgent C-section, premature separation of placenta, etc.

VAERS ID: 1675804 (history) Vaccinated: 2021-02-02 Form: Version 2.0 Onset: 2021-07-28

Age: 33.0 Days after vaccination: 176

Sex: Female Submitted: 0000-00-00 Location: Minnesota Entered: 2021-09-06

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (MODERNA)) / MODERNA	-/1	LA / SYR

Administered by: Private Purchased by: ?

Symptoms: Caesarean section, Exposure during pregnancy, Macrosomia, Placenta praevia,

Premature delivery, Premature separation of placenta, Vaginal haemorrhage

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Pregnancy, labour and delivery

complications and risk factors (excl abortions and stillbirth) (narrow)

Life Threatening? No Birth Defect? No

Died? No.

Permanent Disability? No

Recovered? Yes Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? Yes. 3 days

Extended hospital stay? No

Previous Vaccinations: Other Medications: pre-natal

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC Split Type:

Write-up: Confirmed pregnancy on 1/25/21, estimated due date 8/22/21. Diagnosed with placenta previa on 3/22/21. On 7/28/21, experienced vaginal bleeding. Was admitted to hospital with vaginal bleeding, placenta previa and macrosomia which all required urgent c-section. During c-section, also noted placental abruption. Baby was born prematurely, underdeveloped lungs and required a NICU stay of 7 days.

VAERS 1860486 - 29 year old from Illinois had 1st Pfizer mRNA at 15 weeks pregnancy developed hemorrhage, fetal growth restriction, fetal disorders

This is VAERS ID 1860486

Government Disclaimer on use of this data

Case Details

VAERS ID: <u>1860486 (history)</u> **Vaccinated:** 2021-09-09 **Form:** Version 2.0 **Onset:** 2021-09-28

Age: 29.0 Days after vaccination: 19

Sex:FemaleSubmitted:0000-00-00Location:IllinoisEntered:2021-11-11

Vaccination / Manufacturer	Lot / Dose	Site / Route
COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH	-/1	-/-

Administered by: Private Purchased by: ?

Symptoms: Exposure during pregnancy, Foetal disorder, Foetal growth restriction, Placenta

praevia haemorrhage

SMQs:, Haemorrhage terms (excl laboratory terms) (narrow), Pregnancy, labour and delivery complications and risk factors (excl abortions and stillbirth) (narrow), Foetal disorders (narrow)

Life Threatening? No Birth Defect? Yes

Died? No

Permanent Disability? No

Recovered? No Office Visit? No

ER Visit? No

ER or Doctor Visit? No

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data: Evaluations are under way.

CDC Split Type:

Write-up: Started pregnancy with fetal size similar between last menstrual period dating and ultrasound estimation of gestational age. Received first dose of COVID-19 vaccine at 15 weeks and by 19 weeks had severe early onset fetal growth restriction. Had second COVID-19 dose in the series at 19 weeks. At 20 weeks started having bleeding from placenta previa. At 25 weeks the fetus was found to have echogenic foci in the liver and cardiac right ventricle hypertrophy. The estimated due date is Feb 19, 2022 and the patient is still pregnant.

<u>VAERS 2069904</u> – 33 year old had 3rd Pfizer mRNA Vaccine, then developed vaginal bleeding and miscarriage – this report was eventually <u>erased/covered-up</u>

First Appeared on 1/28/2022

 VAERS ID:
 2069904
 Vaccinated:
 2021-12-23

 VAERS Form:
 2
 Onset:
 2021-12-23

 Age:
 33.0
 Submitted:
 0000-00-00

 Sex:
 Female
 Entered:
 2022-01-27

Location: Foreign

 Vaccination / Manufacturer (1 vaccine)
 Lot / Dose
 Site / Route

 COVID19: COVID19 (COVID19 (PFIZER-BIONTECH)) / PFIZER/BIONTECH
 BH-250957 / 3
 LA / OT

Administered by: Other Purchased by: ??

Symptoms: Abortion spontaneous, Vaginal haemorrhage

Life Threatening? No Birth Defect? No Died? No

Permanent Disability? No

Recovered? No

Office Visit (V2.0)? No

ER or Office Visit (V1.0)? No

ER or ED Visit (V2.0)? Yes

Hospitalized? No

Previous Vaccinations:

Other Medications:

Current Illness:

Preexisting Conditions:

Allergies:

Diagnostic Lab Data:

CDC 'Split Type': FRPFIZER INC202200062824

Write-up: Miscarriage; vaginal bleeding; This is a spontaneous report received from a contactable reporter(s) (Consumer or other non HCP) from the RA-WEB. Regulatory number: FR-AFSSAPS-PC20220003. A 33 year-old female patient received bnt162b2 (COMIRNATY), intramuscular, administered in arm left, administration date 23Dec2021 (Lot number: Bh-250957) at the age of 33 years as dose 3 (booster), single for covid-19 immunisation. The patient"s relevant medical history and concomitant medications were not reported. Vaccination history included: Covid-19 vaccine (Dose 1. Manufacturer unknown.), for COVID-19 immunisation; Covid-19 vaccine (Dose 2. Manufacturer unknown.), for COVID-19 immunisation. The following information was reported: ABORTION SPONTANEOUS (medically significant) with onset 25Dec2021, outcome "recovered with sequelae" (Dec2021), described as "Miscarriage"; VAGINAL HAEMORRHAGE (non-serious) with onset 23Dec2021, outcome "unknown", described as "vaginal bleeding". The event "miscarriage" was evaluated at the emergency room visit. No follow-up attempts are possible. No further information is expected.

My Take...

WHO's VigiAccess has over 300,000 reports of abnormal vaginal bleeding or menstrual irregularities reported for COVID-19 Vaccines.

Surveys show that COVID-19 vaccination causes menstrual irregularities in a large percentage of women, that ranges from 30% (Danish), 39% (Norwegian), 44% (Saudi), to 49% (Israeli) of women.

The most common menstrual irregularities are heavy bleeding and prolonged bleeding.

Up to 14% of non-menstruating women have abnormal vaginal bleeding after COVID-19 vaccination, in the latest Sep.2023 study by Blix et al.

No one is talking about post COVID-19 Vaccine abnormal vaginal bleeding in children ages 5 to 11 years old, despite the fact there are very disturbing reports in VAERS and TGA – no one is publishing these cases, no one is studying these cases.

No one knows the long term effects on fertility in children 5-11 years old, or 12-19 years old who suffer abnormal vaginal bleeding after COVID-19 vaccination

No one is studying the impact on fertility of reproductive age women who report menstrual irregularities after COVID-19 vaccination.

In the June 2023 <u>Haerin Paik study</u> "Female reproduction and abnormal uterine bleeding after COVID-19 vaccination" authors refer to these studies for the "safety" of COVID-19 vaccines on fertility:

- A Pfizer sponsored study of 44 rats showing "no fertility issues", where the manuscript was reviewed by Pfizer and BioNTech Officials and the authors own Pfizer stocks (you can't make this up).
- A study looking at 32 IVF patients in a single IVF Clinic
- Another study looking at 222 IVF patients with senior author sitting on the Boards of several Big Pharma companies.
- Another study looking at 441 IVF patients at a single IVF Clinic in Spain.

Authors Conclude: "COVID-19 vaccines certainly seem to affect the menstrual cycle; however, the effects are generally well-tolerated and transient. The most frequently reported problems are menstrual irregularities, followed by menorrhagia. However, the findings of recent studies are generally reassuring, as symptoms resolve within about 2 months."

"It remains unclear whether certain groups are particularly vulnerable to menstruationrelated adverse events following COVID-19 vaccination." (no mention of the risks to children suffering these adverse events, or pregnant women)

"The natural pregnancy rates following vaccination also remain unclear."

This is the elephant in the room that no one is addressing.

Up to 49% of women are suffering menstrual irregularities after COVID-19 vaccination – what are the long term effects on their fertility?


What are the long term risks to children who have abnormal vaginal bleeding after COVID-19 Vaccination?

*

Note to readers: Please click the share button above. Follow us on Instagram and Twitter and subscribe to our Telegram Channel. Feel free to repost and share widely Global Research articles.

Dr. William Makis is a Canadian physician with expertise in Radiology, Oncology and Immunology. Governor General's Medal, University of Toronto Scholar. Author of 100+ peer-reviewed medical publications.

Featured image is from NaturalNews.com



The Worldwide Corona Crisis, Global Coup d'Etat Against

Humanity

by Michel Chossudovsky

Michel Chossudovsky reviews in detail how this insidious project "destroys people's lives". He provides a comprehensive analysis of everything you need to know about the "pandemic" — from the medical dimensions to the economic and social repercussions, political underpinnings, and mental and psychological impacts.

"My objective as an author is to inform people worldwide and refute the official narrative which has been used as a justification to destabilize the economic and social fabric of entire countries, followed by the imposition of the "deadly" COVID-19 "vaccine". This crisis affects humanity in its entirety: almost 8 billion people. We stand in solidarity with our fellow human beings and our children worldwide. Truth is a powerful instrument."

Reviews

This is an in-depth resource of great interest if it is the wider perspective you are motivated to understand a little better, the author is very knowledgeable about geopolitics and this comes out in the way Covid is contextualized. —Dr. Mike Yeadon

In this war against humanity in which we find ourselves, in this singular, irregular and massive assault against liberty and the goodness of people, Chossudovsky's book is a rock upon which to sustain our fight. –Dr. Emanuel Garcia

In fifteen concise science-based chapters, Michel traces the false covid pandemic, explaining how a PCR test, producing up to 97% proven false positives, combined with a relentless 24/7 fear campaign, was able to create a worldwide panic-laden "plandemic"; that this plandemic would never have been possible without the infamous DNA-modifying Polymerase Chain Reaction test – which to this day is being pushed on a majority of innocent people who have no clue. His conclusions are evidenced by renown scientists. —Peter Koenig

Professor Chossudovsky exposes the truth that "there is no causal relationship between the virus and economic variables." In other words, it was not COVID-19 but, rather, the deliberate implementation of the illogical, scientifically baseless lockdowns that caused the shutdown of the global economy. –David Skripac

A reading of Chossudovsky's book provides a comprehensive lesson in how there is a global coup d'état under way called "The Great Reset" that if not resisted and defeated by freedom

loving people everywhere will result in a dystopian future not yet imagined. Pass on this free gift from Professor Chossudovsky before it's too late. You will not find so much valuable information and analysis in one place. –Edward Curtin

ISBN: 978-0-9879389-3-0, Year: 2022, PDF Ebook, Pages: 164, 15 Chapters

Price: \$11.50 FREE COPY! Click here (docsend) and download.

We encourage you to support the eBook project by making a donation through Global Research's <u>DonorBox "Worldwide Corona Crisis" Campaign Page</u>.

The original source of this article is **COVID Intel** Copyright © Dr. William Makis, COVID Intel, 2023

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Dr. William Makis

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca