

## Earthworm Research Spurs Farmers to Act

Mixed findings from first comprehensive worm survey of England's farmland.

By [Rothamsted Research](#)

Global Research, March 04, 2019

[Rothamsted Research](#) 21 February 2019

Region: [Europe](#)

Theme: [Environment](#)

*A study of England's farmland has found key earthworm types are rare or absent in two out of five fields and has led to the majority of farmers affected vowing to change the way they farm.*

The results indicate widespread, historical over-cultivation, and may explain observed declines in other wildlife, such as the song thrush, that feed on these worms.

The #60minworms project was the first comprehensive worm survey concentrating solely on farmland and was carried out by farmers themselves – 57 percent of whom said they would now change their soil management practices as a result.

The scientist behind the survey, Dr Jackie Stroud, a NERC Soil Security Fellow at Rothamsted Research, said:

“Earthworms are sensitive and responsive to soil management which makes them an ideal soil health indicator. The aim of this research was to find a baseline of farmland earthworm populations that would be useful and used by farmers to assess soil health now and in the future.”

Awesome example of citizen science making a difference. The results of Jackie Stroud's worm survey published today, suggesting huge savings could be made in farmland soil health monitoring.

Read more: [@NFUtweets](https://t.co/M2I5b7eF8t@NFUtweets) [@Soil\\_Security](#) [@Operation\\_Earth](#) [@wormscience](#) [pic.twitter.com/TM5WmAMOOQ](https://pic.twitter.com/TM5WmAMOOQ)

— Rothamsted Research (@Rothamsted) [February 21, 2019](#)

Biologists categorise earthworms by ecological role – with surface dwelling and deep burrowing worms the types most sensitive to farming practices, whilst the topsoil worms are generally unaffected by over-cultivation.

Earthworms perform a number of useful ‘ecosystem services’, and high numbers of earthworms have been linked to enhanced plant productivity.

This new citizen science project published today in the journal PLOS One, has revealed most fields have good earthworm biodiversity – meaning an abundance of all three types of earthworms were seen.

In Spring 2018, the average field had 9 earthworms in every spadeful of soil, with top fields having three times that number. One in 10 fields had high earthworm numbers of more than 16 worms per spadeful.

However, the study also revealed that 42 percent of fields had poor earthworm biodiversity – meaning either very few or none of the surface dwelling and deep burrowing worms were seen.

The absence of deep burrowing worms on 16 percent of fields is concerning, says Dr Stroud, because they are ‘drainage worms’ with vertical burrows that aid water infiltration and ultimately helps combat waterlogging.

“The deep burrowing worms have slow reproduction rates so recovery in their populations could take a decade under changed management practices. In fact, we know very little about earthworm recovery rates.”

More than 1300 hectares were surveyed from all over England for the project, including fields managed under arable, potatoes, horticulture and pasture.

Each farmer volunteered to dig 10 regularly spaced pits across their field to make the observations, and an identification guide allowed them to allocate any sightings to one of the three main types of earthworm.

The success of this pilot project has already led to a much larger study, which recently concluded, says Dr Stroud.

“Working with farmers led to the redesign of the pilot survey, culminating in a shorter, more efficient field assessment and a co-created earthworm identification guide, to help improve farmer confidence in earthworm monitoring.

“These improvements were well received, with farmers all over the country spending an hour of their time digging five soil pits and assessing their earthworm populations in the Autumn.”

Empowering farmers to survey their own soils would save about £14 million in soil health monitoring if rolled out nationally, she added.

Healthy Soils were not a headline indicator for the draft DEFRA 25-year plan for the environment, so the DEFRA policy aspiration of achieving sustainable soils is currently unclear.

Despite this, soil health is widely regarded as vital for both farming and the environment.

Dr Stroud said:

“Decisions made above the ground, whether by farmers or policy makers, influence the billions of earthworms that are engineering the soil ecosystem below the ground.

“Earthworms influence carbon cycling, water infiltration, pesticide movement,

greenhouse gas emissions, plant productivity, the breeding success of birds and even the susceptibility of plants to insect attack.”

However, she added, as earthworms are sensitive to various farming practices, including tillage, rotations, cover cropping, organic matter additions, and pesticides, we need to do more to look after them.

“Crucially, working together with farmers, we now know typical earthworm numbers in agricultural soils and between us have developed a quick method for ongoing monitoring. Many farmers have reported they plan to survey again this Spring following benchmarking their fields last year.

“Soil health is complicated, but the path to doing things differently has to begin somewhere.”

The work is funded by the Natural Environment Research Council (NERC) with facilities provided by the Biotechnology and Biological Sciences Research Council (BBSRC).

\*

Note to readers: please click the share buttons below. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

The original source of this article is [Rothamsted Research](#)  
Copyright © [Rothamsted Research](#), [Rothamsted Research](#), 2019

---

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Rothamsted Research](#)

**Disclaimer:** The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)  
[www.globalresearch.ca](http://www.globalresearch.ca) contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: [publications@globalresearch.ca](mailto:publications@globalresearch.ca)