

FDA Authorizes Pfizer Boosters for Kids 5 to 11

By [Dr. Joseph Mercola](#)

Global Research, May 31, 2022

[Mercola](#)

Region: [USA](#)

Theme: [Science and Medicine](#)

All Global Research articles can be read in 51 languages by activating the “Translate Website” drop down menu on the top banner of our home page (Desktop version).

To receive Global Research’s Daily Newsletter (selected articles), [click here](#).

Visit and follow us on [Instagram](#), [Twitter](#) and [Facebook](#). Feel free to repost and share widely Global Research articles.

The FDA has authorized the use of a booster COVID-19 shot in children ages 5 to 11; less than one-third — only 28.8% — of U.S. children in this age group have received the first two doses of this experimental gene therapy

Effectiveness of COVID-19 shots in children wanes rapidly; a CDC study found that two to four weeks after the second dose of Pfizer’s COVID-19 shots, effectiveness was 60.1% among 5- to 11-year-olds, but this fell to just 28.9% by month two

There is still no data on whether the booster is effective against COVID-19, and whether the effectiveness will quickly wane, as it has with all previous shots as well as booster doses in adults

Artificially inflated antibodies triggered by booster shots signal to your body that you’re always infected, and the resulting immune response could prove to be detrimental to your health

COVID-19 shots are associated with liver injury, including liver failure that led to a liver transplant

Children are at an extremely low risk of serious illness from COVID-19, and CDC data show that COVID-19 case rates among children who received two COVID-19 shots are now higher than rates in children who did not get the shots

*

The U.S. Food and Drug Administration amended its emergency use authorization for the Pfizer-BioNTech COVID-19 shot to allow a booster dose for children ages 5 to 11.¹ The FDA’s “evaluation of safety” for the booster dose in young children was based on a study of only about 400 children, and no meeting was held with the Vaccines and Related Biological Products Advisory Committee.

The booster shot is intended to be given at least five months after the primary two-dose series has been completed, but less than one-third — only 28.8% — of U.S. children in this age group have received the first two doses of this experimental gene therapy.²

“[G]iven that these children have the lowest coronavirus vaccination rate of all eligible Americans, [as most parents have wisely avoided giving their child the jab,] public health experts are not expecting a rush for the booster,” The New York Times reported,³ and this is good news, since multiple red flags have risen regarding the use of these shots, particularly among children.

COVID Shots’ Dismal Effectiveness Wanes Rapidly

Booster shots are typically released because the initial shots aren’t working as planned. This is certainly the case with COVID-19 shots, which have been found to have dismally low effectiveness rates of 12%, according to research conducted by the New York State Department of Health.⁴ In their rationale for why a booster dose is now needed for children, Dr. Peter Marks, Ph.D., director of the FDA’s Center for Biologics Evaluation and Research, said:⁵

“Since authorizing the vaccine for children down to 5 years of age in October 2021, emerging data suggest that vaccine effectiveness against COVID-19 wanes after the second dose of the vaccine in all authorized populations.”

From December 13, 2021, to January 24, 2022, the New York State Department of Health researchers analyzed outcomes among 852,384 children aged 12 to 17 years, and 365,502 children aged 5 to 11 years, who had received two doses of the shots. Effectiveness declined rapidly among 5- to 11-year-olds, falling from 68% to just 12%.

Protection against hospitalization also dropped, from 100% to 48%. Among 11-year-olds alone, vaccine effectiveness plunged to 11%.⁶ The lackluster response was blamed on the dosage discrepancies among the age groups, as 5- to 11-year-olds receive two 10-microgram Pfizer shots, while 12- to 17-year-olds receive 30-microgram shots.⁷

A CDC study also found that the effectiveness of two doses of Pfizer’s COVID-19 shots against symptomatic COVID-19 infection “was modest and decreased rapidly” from December 2021 to February 2022.⁸ The study found that two to four weeks after the second dose of Pfizer’s COVID-19 shots, effectiveness was 60.1% among 5- to 11-year-olds. This fell to just 28.9% by month 2.

A similar trend was seen among adolescents aged 12 to 15 years. Vaccine effectiveness two to four weeks after the second dose of the shots was 59.5%, and this fell to 16.6% during month two.⁹ Among adolescents who received a booster dose, effectiveness went back up to 71.1% two to 6.5 weeks later, but it’s not revealed what happened after that.

If data from adults are any indication, the boost in effectiveness from the booster will also be short-lived. Among adults, within four to five months post-booster, protection against emergency department and urgent care visits due to COVID-19 decreased to 66%, then fell to just 31% after five months or more post-booster.¹⁰

Children's Booster Trial Didn't Test Effectiveness

The FDA's decision to allow a booster dose for children was based on an ongoing Pfizer trial — the same one that it used to authorize the first set of COVID-19 shots in the 5- to 11-year-old age group.

Antibody responses were evaluated in only 67 subjects who received a booster shot seven to nine months after the two-dose primary series of shots. "The antibody level against the SARS-CoV-2 virus one month after the booster dose was increased compared to before the booster dose," the FDA noted.¹¹

However, there is still no data on whether the booster is effective against COVID-19, and whether the effectiveness will quickly wane, as it has with all previous shots. The New York Times also reported:¹²

"In the Pfizer-BioNTech clinical trial, children showed a sixfold increase in antibody levels against the original version of the virus one month after receiving the booster, compared with one month after receiving a second dose ...

Laboratory tests of blood samples from a tiny subgroup of 30 children also showed 36 times the level of neutralizing antibodies against the Omicron variant compared with levels after only two doses. The study did not show how long the antibodies last or test effectiveness against Covid-19."

High, Artificially Elevated Antibodies Come at a Cost

What's more, the notion that increasing antibodies equates to disease protection and better health is misguided. Artificially inflated antibodies signal to your body that you're always infected, and the resulting immune response could prove to be detrimental to your health.

Your adaptive immune system, specifically, generates antibodies that are used to fight pathogens that your body has previously encountered.¹³ During normal infections, your cellular immune system produces high fever and temporary T-cell elevations, along with elevated antibodies to the infection, gradually dissipate.

Ali Ellebedy, Ph.D., an associate professor of pathology & immunology at Washington University School of Medicine in St. Louis, explained, "It's normal for antibody levels to go down after acute infection, but they don't go down to zero; they plateau."¹⁴ This is a normal response and isn't a measure of waning immunity.

On the contrary, repeatedly, artificially inflating antibodies with booster shots comes with a cost and can lead to a "death zone," accelerating the development of autoimmune conditions such as Parkinson's, Kawasaki disease and multiple sclerosis, according to tech leader and COVID analyst Marc Girardot, who urges a retreat from the vaccination "death zone" before it's too late.¹⁵

It's known, for instance, that certain autoimmune diseases are seen alongside high levels of antibodies.¹⁶ Further, COVID-19 shots train your body to produce singular antibodies for one spike protein and cannot compare to the protection provided by natural immunity, which

occurs after recovery from an illness. Speaking with Daniel Horowitz, pathologist Dr. Ryan Cole explained that natural infection produces broad immunity that can't be matched by vaccination:¹⁷

"A natural infection induces hundreds upon hundreds of antibodies against all proteins of the virus, including the envelope, the membrane, the nucleocapsid, and the spike. Dozens upon dozens of these antibodies neutralize the virus when encountered again.

Additionally, because of the immune system exposure to these numerous proteins (epitomes), our T cells mount a robust memory, as well. Our T cells are the 'marines' of the immune system and the first line of defense against pathogens. T cell memory to those infected with SARSCOV1 is at 17 years and running still."

Dr. Robert Malone, the inventor of the mRNA vaccine core platform technology,¹⁸ also stated, "When it comes to COVID, public health officials have consistently downplayed and ignored natural immunity among children. Yet 81 research studies¹⁹ confirm that natural immunity to COVID is equal or superior to any 'vaccine immunity.'"²⁰

COVID Shots Cause Liver Failure, Other Serious Adverse Effects

A concerning number of case reports describe the development of immune-mediated and autoimmune hepatitis in the days and weeks following COVID-19 injections.²¹ A team of researchers collected data from such cases from 18 countries, identifying 87 patients with a median age of 48 years who developed autoimmune hepatitis-like liver injury after a COVID-19 shot.²²

Typically, the liver injury was diagnosed 15 days after the shot. Most cases (59%) were attributed to Pfizer's COVID-19 shot while 23% were linked to the Oxford-AstraZeneca shot and 18% to Moderna's shot. All of the patients in the study recovered from the liver injury after treatment — except for one. That man developed liver failure and had to have a liver transplant. The researchers concluded:²³

"SARS-CoV-2 vaccination can be associated with liver injury. Corticosteroid therapy may be beneficial in those with immune-mediated features or severe hepatitis. Outcome was generally favorable, but vaccine associated liver injury led to fulminant liver failure in one patient."

Young children are also developing severe hepatitis at an unusually high rate and nobody knows why.²⁴ It's unclear how many of the children have received COVID-19 shots, but researchers did suggest that mild or asymptomatic COVID-19 infection could have left behind spike protein that's acting as a "superantigen"²⁵ and triggering the immune system to over-react to other viruses, such as adenovirus-41F, which is causing liver damage.²⁶

If that's the case, the spike protein that circulates in the body after COVID-19 shots could also be problematic, especially since "mRNA vaccines promote sustained synthesis of the SARS-CoV-2 spike protein."²⁷ Other concerning adverse events have also been reported.

One study published in Scientific Reports, for instance, revealed that calls to Israel's National Emergency Medical Services (EMS) for cardiac arrest and acute coronary syndrome increased more than 25% among 16- to 39-year-olds from January to May 2021, compared to the same time period in 2019 and 2020.²⁸

COVID-19 Case Rates Higher in Injected Children

Children are at an extremely low risk of serious illness from COVID-19, making the recommendations for COVID-19 shots, and now boosters, among this population highly questionable — even ludicrous.

"Research shows that there is no benefit to children receiving a COVID shot, and in fact, the shots can cause potential harm, adverse effects and death. According to Pfizer's own study trial data, the chance of death in children from the shot is 107 times higher than death from COVID," Malone stated.²⁹

The CDC's own data also show that COVID-19 case rates among children who have received two COVID-19 shots have been higher than rates in children who did not get the shots since February 2022.³⁰

"That's the first time CDC recorded a higher case rate among fully vaccinated young children since data was first collected in December 2021," Malone said,³¹ and perhaps it's harbinger of things to come. Adding a booster dose to the already dangerous, ineffective and flawed COVID-19 shot recommendations for children will only add more fuel to the fire.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, Twitter and Facebook. Feel free to repost and share widely Global Research articles.

Notes

^{1, 5, 11} [U.S. FDA May 17, 2022](#)

^{2, 3, 12} [The New York Times May 16, 2022](#)

⁴ [medRxiv February 28, 2022](#)

^{6, 7} [CNBC February 28, 2022](#)

⁸ [JAMA. Published online May 13, 2022. doi:10.1001/jama.2022.7493](#)

⁹ [JAMA. Published online May 13, 2022. doi:10.1001/jama.2022.7493, Key Points](#)

¹⁰ [The New York Times February 11, 2022](#)

¹³ [InformedHealth.org, How does the immune system work? April 23, 2020](#)

¹⁴ [NewsWise May 24, 2021](#)

¹⁵ [Marc Girardot, COVID Myth Buster News January 30, 2021](#)

¹⁶ [Science Daily July 12, 2016](#)

¹⁷ [The Blaze July 14, 2021](#)

¹⁸ [Trial Site News May 30, 2021](#)

¹⁹ [Children's Health Defense October 19, 2021](#)

^{20, 29, 31} [Substack, Who is Robert Malone May 17, 2022](#)

²¹ [Journal of Hepatology October 4, 2021](#)

^{22, 23} [Hepatology. 2022 May 14. doi: 10.1002/hep.32572. Online ahead of print](#)

²⁴ [NBC News April 15, 2022](#)

²⁵ [The Lancet Gastroenterology & Hepatology May 14, 2022](#)

²⁶ [Reuters May 16, 2022](#)

²⁷ [Food and Chemical Toxicology June 2022, Volume 164, 113008](#)

²⁸ [Scientific Reports volume 12, Article number: 6978 \(2022\)](#)

³⁰ [CDC, Rates of COVID-19 Cases by Vaccination Status and Age Group, December 5, 2021-March 19, 2022](#)

Featured image is from Mercola

The original source of this article is [Mercola](#)

Copyright © [Dr. Joseph Mercola](#), [Mercola](#), 2022

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [Dr. Joseph Mercola](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca