

Fukushima's Radioactive Baby Milk Formula. Japan's "Contaminated Exports" to China

By [John LaForge](#)

Global Research, August 07, 2015
[CounterPunch](#)

Region: [Asia](#)

Theme: [Environment](#), [Global Economy](#),
[Science and Medicine](#)

The Chinese authorities seized more than 881 pounds of baby milk formula that had been imported from Japan because it had been produced in areas known to be heavily contaminated with radioactive material emitted by three damaged nuclear reactors at the Fukushima-Daiichi complex. China's Xinhua news agency reported that quarantine officials said that no excessive radioactive material was found in the formula, but the baby food was sent back to Japan because China has had a ban on any imports from the areas around Fukushima.

The July seizure of the Japanese baby formula came just a month after Japan had asked the Chinese to ease restrictions on Japanese food imports. On June 19, Japan's Ministry of Agriculture, Forestry and Fisheries used a meeting in Beijing to request that the import bans – which still apply to 10 Japanese prefectures – be lifted. According to the *South China Morning Post*, the Japanese Agricultural Ministry had stressed "the safety of Japanese food."

The Chinese may have scoffed at the lobbying effort since this is the second time Japanese infant milk formula has been recognized as dangerous by Chinese authorities. In December 2011, traces of cesium-137 was detected in Japanese baby formula. Shortly after, Tokyo-based Meiji Holding Company announced the recall of 400,000 cans of their baby formula as a precaution but said the levels of cesium detected were well below the government's allowable limits. At the time, in a dubious statement, Meiji officials said, "Babies could still drink the formula every day without any effect on their health."

Contrary to the clearly uninformed Meiji corporate opinion, many doctors and scientists warn that even the slightest internal radioactive contamination can cause cancer. Dr. John Goffman, Dr. Rosalie Bertell, Dr. Alice Stewart, Dr. Ernest Sternglass, Dr. Jay Gould, Dr. Helen Caldicott, and others, have all promoted the precautionary principle regarding any inhalation or ingestion of radioactive materials.

Scientific evidence indicates that the exposure to radiation suffered by fetuses, infants and children is far more serious than if the same exposure is suffered by adults. Also, the damage done to girls and women by radiation – compared to boys and men – is known to be more severe. The World Health Organization's 2011 assessment of Fukushima notes that when children are exposed to radiation below the age of five, there is a 70 percent higher risk of cancer for girls than there is for boys.

Feeding radiation-tainted food to the most vulnerable is questionable at best and criminal at worst.

Mary Olson, a senior staff researcher with the Nuclear Information and Resource Service explains,

“If the alpha-emitting particles are hitting tissue from inside the body, estimates indicate that internal alpha particle damage is anywhere from seven to 1000 times more damaging to cell structures than is X-ray [external] exposure. Another way of saying this is that when there is no distance from the source of the alpha or beta particle to its target, the doses to the target are very much higher.”

When it comes to babies ingesting contaminated baby formula, no level is actually safe and this is known throughout scientific circles.

The principle radioactive poison that is being tested for in Japanese foods is cesium-137. Unfortunately, there are also other deadly poisons that have been spewed in lesser amounts by Fukushima disaster. These include americium-241, plutonium-236, uranium-238, thorium-232 and the extremely dangerous isotope, strontium-90. All of these contaminants may also be found in food from Japan, including in baby formula.

In July 2011, Tokyo officials discovered cesium-137 at levels 6.4 times the national limit in beef sold to restaurants and stores in at least five prefectures; in April 2011, radioactive iodine-131 was found in breast milk of mothers east of Tokyo; radioactive tea from Japan was seized in France in July 2011 when it was found with twice the permitted amount of cesium – not that even a trace can be called harmless. The tea had come from Shizuoka Prefecture, 300 miles south of Fukushima.

John LaForge is a Co-director of Nukewatch, a peace and environmental justice group in Wisconsin, and edits its newsletter.

The original source of this article is [CounterPunch](#)
Copyright © [John LaForge](#), [CounterPunch](#), 2015

[Comment on Global Research Articles on our Facebook page](#)

[Become a Member of Global Research](#)

Articles by: [John LaForge](#)

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca
www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca