

Infection Fatality Rate of COVID-19 Inferred from Seroprevalence Data

Theme: Science and Medicine

By Dr. John P.A. Ioannidis Global Research, October 21, 2020 Bulletin of the WHO 14 October 2020

Abstract

Objective: To estimate the infection fatality rate of coronavirus disease 2019 (COVID-19) from seroprevalence data.

Methods: I searched PubMed and preprint servers for COVID-19 seroprevalence studies with a sample size \geq 500 as of 9 September, 2020. I also retrieved additional results of national studies from preliminary press releases and reports. I assessed the studies for design features and seroprevalence estimates. I estimated the infection fatality rate for each study by dividing the number of COVID-19 deaths by the number of people estimated to be infected in each region. I corrected for the number of antibody types tested (immunoglobin, IgG, IgM, IgA).

Results: I included 61 studies (74 estimates) and eight preliminary national estimates. Seroprevalence estimates ranged from 0.02% to 53.40%. Infection fatality rates ranged from 0.00% to 1.63%, corrected values from 0.00% to 1.54%. Across 51 locations, the median COVID-19 infection fatality rate was 0.27% (corrected 0.23%): the rate was 0.09% in locations with COVID-19 population mortality rates less than the global average (< 118 deaths/million), 0.20% in locations with 118-500 COVID-19 deaths/million people and 0.57% in locations with > 500 COVID-19 deaths/million people. In people < 70 years, infection fatality rates ranged from 0.00% to 0.31% with crude and corrected medians of 0.05%.

Conclusion: The infection fatality rate of COVID-19 can vary substantially across different locations and this may reflect differences in population age structure and case- mix of infected and deceased patients and other factors. The inferred infection fatality rates tended to be much lower than estimates made earlier in the pandemic.

Introduction

The infection fatality rate, the probability of dying for a person who is infected, is one of the most important features of the coronavirus disease 2019 (COVID-19) pandemic. The expected total mortality burden of COVID-19 is directly related to the infection fatality rate. Moreover, justification for various non-pharmacological public health interventions depends on the infection fatality rate. Some stringent interventions that potentially also result in

more noticeable collateral harms¹ may be considered appropriate, if the infection fatality rate is high. Conversely, the same measures may fall short of acceptable risk-benefit thresholds, if the infection fatality rate is low.

Early data from China suggested a 3.4% case fatality rate² and that asymptomatic infections

were uncommon,³ thus the case fatality rate and infection fatality rate would be about the same. Mathematical models have suggested that 40–81% of the world population could be

infected,^{4,5} and have lowered the infection fatality rate to 1.0% or 0.9%.^{5,6} Since March 2020, many studies have estimated the spread of the virus causing COVID-19 – severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) – in various locations by evaluating seroprevalence. I used the prevalence data from these studies to infer estimates of the COVID-19 infection fatality rate.

Click to read full article.

*

Note to readers: please click the share buttons above or below. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

Our thanks to Mark Taliano for bringing this to our attention.

Featured image is from Health Impact News

The original source of this article is <u>Bulletin of the WHO</u> Copyright © <u>Dr. John P.A. Ioannidis</u>, <u>Bulletin of the WHO</u>, 2020

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: <u>Dr. John P.A.</u> Ioannidis

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca