

Monsanto's Glyphosate Blankets GMO Crops Near U.S. Schools. 3,247 Elementary Schools across America Affected

By Mary Ellen Kustin and Soren Rundquist Global Research, May 11, 2015 The Environmental Working Group (EWG) Region: <u>USA</u> Theme: <u>Biotechnology and GMO</u>, <u>Environment</u>


Genetically engineered crops, or GMOs, have led to an explosion in growers' use of herbicides, with the result that children at hundreds of elementary schools across the country go to class close by fields that are regularly doused with escalating amounts of toxic weed killers.

GMO corn and soybeans have been genetically engineered to withstand being blasted with glyphosate – an herbicide that the World Health Organization recently classified as "probably carcinogenic to humans." The proximity of many schools to fields blanketed in the chemical puts kids at risk of exposure.

But it gets worse.

Over reliance on glyphosate has spawned the emergence of "<u>superweeds</u>" that resist the herbicide, so now producers of GMO crops are turning to even more harmful chemicals. First up is 2,4-D, a World War II-era defoliant that has been linked to non-Hodgkin lymphoma, Parkinson's disease and reproductive problems. Young children are especially vulnerable to it.

A new EWG interactive <u>map</u> shows the amounts of glyphosate sprayed in each U.S. county and tallies the 3,247 elementary schools that are located within 1,000 feet of a corn or soybean field and the 487 schools that are within 200 feet. <u>Click</u> on any county on the map to see how much GMO corn and soy acreage has increased there as well as the number of nearby elementary schools.



The 15 states outlined on the map across the center of the country are the ones where the Environmental Protection Agency has approved the use of Dow AgroSciences' Enlist Duo – a combination of glyphosate and 2,4-D – on GMO corn and soybeans engineered to tolerate both weed killers.

The chart shows the 10 states with the most elementary schools within 1,000 feet of a corn or soybean field. These states account for 53 percent of the total acreage planted with genetically engineered GMO corn and soy. EPA has approved the use of Enlist Duo in seven of them.

Ranking	State	Number of elementary schools within 1,000 ft. of a corn or soybean field	Number of elementary schools within 200 ft. of a corn or soybean field	Acres of herbicide- tolerant GMO corn and soybeans (2014)
1	Ohio	416	56	7,389,000
2	Illinois	325	31	19,072,000
3	Indiana	250	45	9,925,000
4	Wisconsin	212	38	5,151,000
5	Kansas	182	22	6,094,000
6	Pennsylvania*	178	22	1,577,000
	North			
7	Carolina*	173	40	2,045,000
8	Virginia*	171	39	859,000
9	Iowa	139	9	22,070,000
10	Arkansas	112	34	3,536,000

* states where EPA has not yet approved the use of Enlist Duo

The inescapable connection between GMO crops and increased use of toxic herbicides is one reason why many people want to know whether the products they buy contain GMOs. Polls show that more than 90 percent of consumers favor labeling GMOs, but without a mandatory labeling law, they have no way to know for sure.

Methodology:

EWG approximated school locations using the ESRI (<u>www.esri.com</u>) landmark shape file for schools, derived from the U.S. Geological Survey Geographic Names Information System – Schools layer. These are considered the best available data for school locations. The data were filtered to the best of EWG's knowledge to include only locations whose attributed name reflects an operating elementary school, but they may inadvertently include some free-standing school administrative offices or buildings that formerly housed schools but are now in other use.

Zones within 200 feet and 1,000 feet of each school were delineated using the school's point location in the ESRI data, not the physical footprint of the school grounds. As a result, EWG's analysis may over- or under-estimate the exact distance of school grounds to the boundaries of nearby corn or soybean fields. School locations were evaluated for proximity to the boundaries of corn and soybean fields as delineated in the USDA 2013 cropland data layer (30-meter resolution).

EWG acknowledges that spatial analyses of this kind may include some level of error (such as incorrect or outdated school or crop field locations or boundaries) even with standard, best available data sources. EWG welcomes information to revise and correct any locational errors in the underlying data.

Data on estimated glyphosate use was drawn from the U.S. Geological Survey's Estimated Annual Agricultural Pesticide Use for Counties of the Conterminous United States (2008-2012 & 1992-2009). According to the USGS, "Pesticide use estimates from this study are suitable for making national, regional, and watershed assessments of annual pesticide use, however the reliability of estimates generally decreases with scale."

Data on the acreage of genetically modified corn and soybeans were assembled by extrapolating from county-planted acreage using state percentages of biotech varieties by crop, as reported by the USDA. For corn, state level "herbicide resistant" + "stacked gene" varieties were used to extrapolate county-level planted acreage. If a state was not specifically listed in the <u>USDA NASS Acreage Report</u>, the category "Other" was used in the extrapolation. For soybeans, the state-level "all biotech varieties" was used to extrapolate planted acres at the county level. If a state was not specifically listed in the USDA NASS Acreage Report, the category the USDA NASS Acreage Report, the category "Other" was used to extrapolate planted acres at the county level. If a state was not specifically listed in the USDA NASS Acreage Report, the category the USDA NASS Acreage Report, the category the USDA NASS Acreage Report, the category "Other" was used in the USDA NASS Acreage Report, the category the USDA NASS Acrea

The original source of this article is <u>The Environmental Working Group (EWG)</u> Copyright © <u>Mary Ellen Kustin</u> and <u>Soren Rundquist</u>, <u>The Environmental Working Group</u> (<u>EWG</u>), 2015

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Mary Ellen Kustin and Soren Rundquist **Disclaimer:** The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca