

'Perfectly Healthy' Florida Doctor Dies Weeks After Getting Pfizer COVID Vaccine

By Children's Health Defense

Global Research, January 18, 2021

Children's Health Defense 7 January 2021

Region: <u>USA</u>
Theme: Science and Medicine

Miami medical examiner is investigating the death of 56-year-old Dr. Gregory Michael who reportedly died from a rare autoimmune disease 15 days after being vaccinated. Michael's wife wants her husband's death to serve as a warning to others.

The wife of a Florida doctor who died 15 days after receiving <u>Pfizer's COVID-19 vaccine</u> told reporters at <u>USA Today</u> and the <u>Daily Mail</u> that her husband was "perfectly healthy" before he got the vaccine.

Heidi Neckelmann said her husband, 56-year-old Dr. Gregory Michael, "sought emergency care three days after the shot because he had dots on his skin that indicated internal bleeding."

Michael received the vaccine on Dec. 18 at Mount Sinai Medical Center in Miami Beach, where he'd worked for 12 years as an OB-GYN. He died on Jan. 3 after suffering a hemorrhagic stroke related to a lack of platelets, a condition <u>called thrombocytopenia</u>, or as the Daily Mail reported, acute <u>idiopathic thrombocytopenic purpura</u> (ITP).

Neckelmann told the Daily Mail:

"He was in very good health. He didn't smoke, he drank alcohol once in a while but only socially. He worked out, we had kayaks, he was a deep sea fisherman.

"They tested him for everything you can imagine afterwards, even cancer, and there was absolutely nothing else wrong with him."

Pfizer, in a statement to USA today, said the vaccine maker was aware of and "actively investigating" the death, but also added "we don't believe at this time that there is any direct connection to the vaccine."

Pfizer also told USA Today:

"There is no indication — either from large <u>clinical trials</u> or among people who have received the vaccine since the government authorized its use last month – that it could be connected to thrombocytopenia."

But Neckelmann told the Daily Mail that in her mind, her husband's death was "100%

linked" to the vaccine.

<u>Children's Health Defense</u> (CHD) President <u>Lyn Redwood, RN, MSN</u>, said ITP is a <u>well-known</u> adverse event associated with vaccinations.

The vaccine most often implicated is the measles-mumps-rubella (MMR) vaccine, where the disease occurs in approximately 1 in every 25,000 to 40,000 doses of the vaccine, Redwood said. ITP has also been associated with hepatitis A and B virus (HBV), human.papilloma.virus (HPV), varicella-zoster, diphteria-tetanus-acellular pertussis (DTap), polio and pneumococcus vaccines.

According to Redwood, a <u>study</u> comparing adverse effects following influenza vaccination found that ITP was the third most common autoimmune condition (after Guillain Barre and rheumatoid arthritis).

Redwood also pointed out that <u>ITP has been reported to occur</u> following exposure to drugs containing <u>polyethylene glycol (PEG)</u>, a compound used in both the Pfizer and Moderna vaccines.

"Considering that according to the <u>United States Court of Federal Claims</u>, cases of ITP have been compensated in the <u>National Vaccine Injury Compensation Program</u> (NVICP), it is completely disingenuous for vaccine manufacturers to deny this risk," Redwood said.

As Neckelmann told the Daily Mail, Michael suffered no immediate reaction to the vaccine, but three days later he noticed petechiae — spots of red indicative of bleeding beneath the skin — on his hands and feet.

After checking himself into the hospital, doctors confirmed Michael was suffering from an acute lack of platelets. According to Neckelmann:

"All the blood results came back normal except for the platelets which came back as zero.

"At first they thought it must be a mistake. So they did the test again and this time did a manual count which is supposed to be more accurate. This time it showed just one platelet."

Doctors told Michael his condition was "incredibly dangerous" and could lead to a brain bleed and/or death, Neckelmann said.

Neckelmann told USA Today that a team of doctors tried unsuccessfully for two weeks to raise his platelet count. She told the Daily Mail that her husband had no prior history of acute idiopathic thrombocytopenic purpura, the illness her husband was diagnosed with. The disorder causes the immune system to mistake platelets for foreign objects and instructs the spleen to destroy them.

In a <u>Facebook post</u>, Neckelmann wrote that her husband was a pro-vaccine advocate. But, she said:

"I believe that people should be aware that side effects can happen, that it is not good for everyone and in this case destroyed a beautiful life, a perfect family, and has affected so many people in the community

"Do not let his death be in vain please save more lives by making this information news."

According to the Daily Mail, children can get acute ITP after a viral infection such as the flu or mumps, while in adults, triggers can include <u>HIV</u>, hepatitis or H. pylori, a type of bacteria that causes stomach ulcers.

On hearing of Michael's death, Robert F. Kennedy, Jr., CHD chairman and chief legal counsel said:

"We need to stop regarding these tragedies as acceptable collateral damage. We need to step back from this giddy exuberance and make a cold hard risk assessment about these experimental medical interventions. And we need to recognize that these zero-liability vaccines are risky and that where there is risk, there has to be choice."

The Pfizer — and also the <u>Moderna</u> — COVID vaccines use <u>messenger RNA technology</u> never before used in vaccines. Both vaccines are <u>approved for emergency use</u> in the U.S., UK and other countries, but neither is yet fully licensed.

So far there is no confirmation of any deaths directly related to either vaccine, though a <u>41-year-old woman</u> in Portugal died two days after getting the Pfizer vaccine, and a 75-year-old Israeli man reportedly died of a heart attack two hours after receiving the vaccine.

There are, however, a growing number of reports of severe allergic reactions to the Pfizer and Moderna vaccines. According to the <u>Wall Street Journal</u>, at least 29 people have had severe allergic reactions in the U.S. to date.

In a news conference Wednesday, Dr. Nancy Messonnier, director of the Centers for Disease Control and Prevention's National Center for Immunization and Respiratory Diseases, told the media:

"The known and potential benefits of the current COVID-19 vaccines outweigh the known and potential risks of getting Covid-19. That doesn't mean, however, that we couldn't see potential serious health events in the future."

To date, the only explanation offered for the allergic reactions to the Pfizer and Moderna vaccines is that they were caused by PEG.

In September, Children's Health Defense <u>warned</u> the FDA and Dr. Anthony Fauci about the potential for PEG to cause anaphylactic shock, but as <u>previously reported</u>, neither took action.

Immediately after the Pfizer and Moderna vaccines were rolled out in the U.S. and UK, reports of severe allergic reactions began to surface in the media. In some cases, the reactions were severe enough to require vaccine recipients be hospitalized.

Note to readers: please click the share buttons above or below. Forward this article to your email lists. Crosspost on your blog site, internet forums. etc.

Featured image is from CHD

The original source of this article is <u>Children's Health Defense</u> Copyright © <u>Children's Health Defense</u>, <u>Children's Health Defense</u>, 2021

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Children's Health

Defense

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: publications@globalresearch.ca

www.globalresearch.ca contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca