

Why Has Early Puberty Skyrocketed During the Pandemic?

Theme: Science and Medicine

By Dr. Joseph Mercola Global Research, April 22, 2022 Mercola 22 April 2022

All Global Research articles can be read in 51 languages by activating the "Translate Website" drop down menu on the top banner of our home page (Desktop version).

To receive Global Research's Daily Newsletter (selected articles), <u>click here</u>.

Visit and follow us on <u>Instagram</u>, <u>Twitter</u> and <u>Facebook</u>. Feel free to repost and share widely Global Research articles.

Incidence of early puberty has surged since the start of the COVID pandemic, and is affecting children at ages that are historically unprecedented

Many children diagnosed with slow-progressing early puberty also experienced an acceleration of pubertal progressing during and/or after lockdown

Early puberty can have serious consequences for those affected. It's been linked to a higher risk for depression, eating disorders, substance abuse and antisocial behavior

The cause for the unprecedented rise in early puberty is unknown, but experts suspect it has to do with lifestyle changes related to lockdowns, such as stress, elevated electromagnetic field (EMF) exposure, an unhealthy diet, low physical activity, increased obesity, elevated exposure to endocrine-disrupting chemicals in the home and poor sleep

Several COVID-19 clinical trials have involved anti-androgen drugs, with many showing positive results in terms of blocking the progression of infection. Some have suggested the influence of androgen on SARS-CoV-2 infection may be why young children have such a low incidence of COVID-19, as they have low androgen levels

*

According to recent data, incidence of early puberty has surged since the start of the COVID pandemic.¹ It's also affecting children at ages that are historically unprecedented. What could possibly account for this phenomenon?

Rare Condition Has Suddenly Become More Prevalent

Early puberty, also known as precocious puberty, has historically been rare, affecting approximately 1 in 5,000 to 10,000 children. The female-to-male ratio of incidence is about

10-to-1 in favor of girls.

But for some as-yet unknown reason, since early 2020, doctors around the world have seen a surprising increase in cases, predominantly if not exclusively among girls, with girls as young as 5 sprouting breasts and menstruation starting in girls younger than 8. Typically, breast development begins around age 10 to 11, with menstruation starting two years later.

Dr. Vaishakhi Rustagi, a pediatric endocrinologist in Delhi, India, told The Fuller Project² that he normally sees about 20 cases of early puberty each year, but since June 2020, he's seen more than 300 such patients.

In Italy, a survey³ of five pediatric endocrinology sites found 328 girls had been referred for suspected early puberty between March and September 2020, up from 140 during the same

seven-month period in 2019. Another Italian study⁴ found patients previously diagnosed with slow-progressing early puberty experienced an acceleration of pubertal progressing during and/or after lockdown.

Similar findings have emerged from Turkey, where early puberty cases reported between

April 2020 and March 2021 were more than double that of any of the preceding three years⁵ (58 cases during the pandemic year compared to a total 66 cases for the previous three years combined).

Early Puberty Can Have Serious Consequences

While on the surface this may not seem like a catastrophe, it can in fact have serious consequences for those affected. Early puberty has been linked to a higher risk for depression, eating disorders, substance abuse and antisocial behavior, for example.

Early puberty may also be caused by a more serious condition, such as a central nervous problem, or an ovary, adrenal, pituitary or brain tumor, so these conditions need to be ruled out as causative factors before hormone treatment is considered.

Early puberty (provided it's not caused by some underlying condition that needs to be addressed) is typically treated with a monthly injection of gonadotropin-releasing hormone

(GnRH analogue therapy⁶), which delays further development. Once the child reaches the appropriate age for puberty, the hormone treatment is stopped, and the process of puberty then restarts.

Did Lockdowns Trigger Early Puberty?

The authors of the Italian study⁷ hypothesize there might be an association between early puberty in girls and "the complex lifestyle changes related to the lockdown." But how?

One possibility is stress. Dr. Adiaha Spinks-Franklin, a pediatrician at Texas Children's

Hospital, told The Fuller Project,⁸ "From 9 to like 15, you're going through this process, but the stress of the pandemic sped up that physiological process. Meanwhile, socially and emotionally, they're still children." Rustagi agrees, saying, "I think it's directly related to the

amount of stress that the children have gone through."9

Other suspects include elevated electromagnetic field (EMF) exposure, an unhealthy diet, low physical activity, increased obesity, elevated exposure to endocrine-disrupting chemicals in the home and poor sleep^{10,11} — all of which were exacerbated during the lockdowns as children were cooped up indoors and had to study remotely.

Additionally, pervasive exposure to plastics and microplastics loaded with phthalates and BPA, which are known endocrine disrupters, certainly haven't helped the situation.

Separately, none of these are sufficient to explain the sudden explosion of early puberty, but taken together, they might trigger changes in central nervous mediators and an increase in catecholamines to set off the pubertal process.

A Curious Connection

Curiously, at the same time as precocious puberty was skyrocketing, researchers at Penn

Medicine published preclinical trial results^{12,13} suggesting anti-androgen drugs could disrupt the ACE2 and TMPRSS2 receptors that SARS-CoV-2 uses to gain entry into the cell.

The study,¹⁴ which was funded by the National Institutes of Health and a U.S. Department of Defense award, was published March 19, 2021.

In it, the authors noted that the two receptors are regulated by androgen hormone — the same hormone responsible for premature adrenarche¹⁵ (sexual maturation and libido) — and by blocking the receptors with Camostat and other androgen inhibiting drugs, viral entry

and replication were prevented. According to a Penn Medicine press release:¹⁶

"The findings provide more insight into the molecular mechanisms of the virus but also support the use of anti-androgen therapies to treat COVID-19 infections, which are currently being investigated in clinical trials and have produced promising results. They also support data showing increased mortality and severity of disease among men compared to women, who have much lower levels of androgen.

'We provide the first evidence that not only TMPRSS2, which is known to be regulated by androgen, but ACE2 can also be directly regulated by this hormone,' said senior author Irfan A. Asangani, PhD, an assistant professor of Cancer Biology in the Perelman School of Medicine at the University of Pennsylvania.

'We also show that the SARS-CoV-2 spike relies on these two receptors to impale and enter cells, and that they can be blocked with existing drugs. That's important because if you stop viral entry, you reduce the viral load and disease progression.'"

Other research¹⁷ has found ACE2 receptors are present on nearly all testicular cells. This raises the question of whether male fertility and/or gonad function might be adversely affected by SARS-CoV-2 infection. It's also been shown that estrogen regulates the expression of ACE2 in pulmonary epithelial cells.¹⁸ So, sex hormones appear to play a role in SARS-CoV-2 infection in more ways than one.

Puberty Versus Adrenarche

For clarity, while premature adrenarche and early puberty are similar, they're not the same. Adrenarche refers to the activation of the adrenal glands, resulting in the production of sex hormones such as androgens, which are responsible for public hair, oily skin and hair, body odor, acne, sexual desire and increased libido.

Puberty, on the other hand, is the maturation process of sexual reproduction. Brain signals are sent to the testes and ovaries, triggering the development of sperm and eggs respectively, as well as secondary characteristics such as the deepening of the voice in boys and breasts in girls.

Is This Why Children Aren't Susceptible to COVID?

While we haven't heard a whole lot about it in the news, several COVID-19 clinical trials over the past year or so have involved anti-androgen drugs, with many showing positive results in terms of blocking the progression of infection. Some have also suggested that the influence of androgen on SARS-CoV-2 infection may be why young children have such a low incidence of COVID-19, as they have low androgen levels.

Androgens upregulate the protease TMPRSS2, which facilitates efficient virus-host cell fusion with the epithelium of the lungs, thus increasing susceptibility to SARS-CoV-2 infection and development of severe COVID-19. ~ Journal of the Endocrine Society

As explained in the paper, "The Resilient Child: Sex-Steroid Hormones and COVID-19 Incidence in Pediatric Patients":¹⁹

"Androgens upregulate the protease TMPRSS2, which facilitates efficient virus-host cell fusion with the epithelium of the lungs, thus increasing susceptibility to SARS-CoV-2 infection and development of severe COVID-19. Owing to low levels of steroid hormones, prepubertal children may have low expression of TMPRSS2, thereby limiting the viral entry into the host cells."

That said, there's something quite curious about the timing of this information, because all of a sudden, the health care system has become very focused on normalizing transgenderism. Is it possible that they're thinking of dosing children with sex hormones as

a treatment for COVID and need a cover story? As noted in the Penn Medicine study:²⁰

"Together, our data provide a strong rationale for clinical evaluations of TMPRSS2 inhibitors, androgen-deprivation therapy / androgen receptor antagonists alone or in combination with antiviral drugs as early as clinically possible to prevent COVID-19 progression."

Could treating children with anti-androgens cause changes in how they feel about their sexuality? And if so, could it be that the medical industry wants to "get ahead" of the trend and quench questions by indoctrinating everyone into thinking transgenderism and gender confusion is completely normal? That's pure speculation, of course, but perhaps something to tuck into the back of your mind for later on.

Precocious Puberty Triggers

While there's no direct evidence EMF exposure during childhood can trigger early puberty,

one animal study²¹ did find Wi-Fi and cell phone radiation during pregnancy increased the risk of early puberty in the offspring.

So, it's possible that generational effects are at play, and/or that this susceptibility is worsened by other environmental factors such as diet, lack of exercise, obesity, stress and exposure to endocrine-disrupting chemicals and foods high in estrogen.

Without a clear cause, it's difficult to prescribe a remedy. But I believe it's safe to say that parents would be wise to pay close attention to what their children are doing and being exposed to — pandemic or not. For example:

Feed your children a healthy diet of unprocessed or minimally processed foods. Avoid sodas and sweetened beverages and encourage them to drink purified water instead.

Implement a time-restricted eating schedule where you limit meals and snacks to a six- to eighthour window each day.

Limit their EMF exposure by setting time limits on computer, tablet and cell phone use, and turn off the Wi-Fi in your home when not in use, especially at night.

Optimize their sleep by having them go to bed and wake up at consistent times.

Encourage daily physical activity. If they're not allowed outside due to COVID restrictions, find some form of physical exercise that they can do indoors, such as bodyweight exercises. For ideas, see Sports Mom Survival Guide's "12 Bodyweight Exercises Your Child Can Do From Home."²²

Investigate potential sources of endocrine-disrupting chemicals around your home, and remove or replace them as necessary.

Common sources²³ include brominated flame retardants found in clothing, furniture and mattresses; phthalates found in plastic containers, plastic water bottles, older sippy cups, nonstick food wrappers, epoxy resins in canned foods and personal care products with fragrance; lead found in old paint and many public water supplies; pesticides and herbicides used around yard and found on nonorganic produce; PFAS found in nonstick cookware, carpets and textiles.

Teach (and ideally model) stress reduction techniques to your child, and talk to them about how they feel.

*

Note to readers: Please click the share buttons above or below. Follow us on Instagram, Twitter and Facebook. Feel free to repost and share widely Global Research articles.

Notes

¹ MD Edge April 4, 2022

- ^{2, 8, 9, 10} The Fuller Project March 28, 2022
- ^{3, 7} Endocr. Connect. February 14, 2022; 11(2): E210650
- ⁴ Italian Journal of Pediatrics 2020; 46: article number 165
- ⁵ Journal of Pediatric Endocrinology and Metabolism December 8, 2021 DOI: 10.1515/jpem-2021-0565
- ⁶ Mayo Clinic Early Puberty
- ¹¹ Frontiers in Pediatrics 2021; 9: 734899
- ^{12, 14, 20} iScience March 19, 2021; 24(3): 102254
- ^{13, 16} Penn Medicine Press Release March 22, 2021
- ¹⁵ Childrens Hospital Premature Adrenarche
- ^{17, 18} Hormones 2021; 20: 259-268
- ¹⁹ Journal of the Endocrine Society September 2020; 4(9): bvaa106
- ²¹ Biological Trace Element Research 2013; 156: 221-229
- ²² Sports Mom Survival Guide, 12 Bodyweight Exercises Your Child Can Do From Home
- ²³ Endocrine.org Endocrine-Disrupting Chemicals

Featured image is from Mercola

The original source of this article is <u>Mercola</u> Copyright © <u>Dr. Joseph Mercola</u>, <u>Mercola</u>, 2022

Comment on Global Research Articles on our Facebook page

Become a Member of Global Research

Articles by: Dr. Joseph Mercola

Disclaimer: The contents of this article are of sole responsibility of the author(s). The Centre for Research on Globalization will

not be responsible for any inaccurate or incorrect statement in this article. The Centre of Research on Globalization grants permission to cross-post Global Research articles on community internet sites as long the source and copyright are acknowledged together with a hyperlink to the original Global Research article. For publication of Global Research articles in print or other forms including commercial internet sites, contact: <u>publications@globalresearch.ca</u>

<u>www.globalresearch.ca</u> contains copyrighted material the use of which has not always been specifically authorized by the copyright owner. We are making such material available to our readers under the provisions of "fair use" in an effort to advance a better understanding of political, economic and social issues. The material on this site is distributed without profit to those who have expressed a prior interest in receiving it for research and educational purposes. If you wish to use copyrighted material for purposes other than "fair use" you must request permission from the copyright owner.

For media inquiries: publications@globalresearch.ca